

**Boston
Scientific**

Advancing science for life™



INTERVENTIONAL CARDIOLOGY

Product Catalogue 2025



TABLE OF CONTENTS

1 STENTS & DRUG TECHNOLOGIES

Abluminal Bioabsorbable Polymer DES

- SYNERGY MEGATRON™ ** 7
- SYNERGY™ XD ** 8

Permanent Polymer DES

- Promus ELITE™ 10

Drug Coated Balloon

- AGENT™ 12

2 COMPLEX PCI

Balloon Catheters

Pre-dilatation Balloon Catheters

- FG EMERGE™ Monorail™ 15-16
- EMERGE™ OTW 16-17
- FG MAVERICK2™ Monorail™ 18

Post-dilatation Balloon Catheters

- NC EMERGE™ Monorail™ 19-20
- NC QUANTUM APEX™ 21-22

Microdilatation Catheters

- THREADER™ Microdilatation Catheter 24
- MAMBA™ Microcatheter 24

Guide Catheters

- Curves Overview 26
- MACH 1™ 6F / 7F / 8F 27-31
- RUNWAY™ 6F 32-34

Guide Catheter Extension

- GUIDEZILLA™ II Guide Catheter Extension 36

Angiographic Catheters

- IMPULSE™ 5F / 6F 38-41
- EXPO™ 5F / 6F / 7F 42-44

Guidewires

Standard Lesions / Spring Tip Guidewires

- CHOICE™ Floppy 46
- LUGE™ Moderate Support Guidewire 46

Complex Lesions / Polymer Tip Guidewires

- PT2™ LS 47
- CHOICE™ PT Floppy 47
- PT2™ MS 47

Stiff Guidewires

- CHOICE™ Intermediate 48
- CHOICE™ Standard 48
- PT GRAPHIX™ Intermediate 49
- PT GRAPHIX™ Standard 49

Extra Support Guidewires

- CHOICE™ Extra Support 50
- CHOICE™ PT Extra Support 50
- MAILMAN™ 51
- PT GRAPHIX™ Super Support 51

SENTAI Workhorse Wires

- MARVEL™ Guidewire 52
- SAMURAI™ Guidewire 52

SENTAI Specialty Crossing Guidewires

- SAMURAI™ RC Guidewire 53
- FIGHTER™ Guidewire 53
- JUDO™ 3 Guidewire 53
- JUDO™ 6 Guidewire 53
- HORNET™ 14 Guidewire 54

Extension Guidewires

- ADDWIRE™ Extension Wire 55
- STRETCH Extension Wire 55

Embolic Protection

- FILTERWIRE EZ™ Embolic Protection System 57

Accessories

Inflation Devices

- ENCORE™ 26 Inflation Device 59
- ENCORE™ 26 Advantage Kit 59

Y-Adaptors

- GATEWAY™ Plus Y-Adaptor 60

Hemostasis Valve

- WATCHDOG™ Hemostasis Valve 61

Cutting Balloon™

- WOLVERINE™ Cutting Balloon™ Dilatation Device 63

Atherectomy Devices

- ROTAPRO Rotational Atherectomy System 64
- ROTAPRO Pre-Connected Burr and Advancing Device 65
- ROTAWIRE™ Drive 65
- ROTAWIRE™ 65
- ROTALINK™ Exchangeable Burr Catheter 66
- ROTAGO™ Cart 67
- Accessories 67

Chronic Total Occlusions

- CROSSBOSS™ & STINGRAY™ LP 69

3 PCI GUIDANCE

System and Accessories

- AVVIGO™+ Multi-Modality Guidance System: Mobile 74
- AVVIGO™+ Multi-Modality Guidance System: Integrated 74
- AVVIGO™+ Bundles and References 74
- AVVIGO™+ Accessories 74
- AVVIGO™+ Services Coverage 75
- FFR Link™ 75

Single Unit Devices

- OPTICROSS™ High-Definition Coronary Imaging Catheter 77
- OPTICROSS™ Peripheral Imaging Catheter 77
- OPTICROSS™ HD Accessories 77
- ULTRA ICE™ PLUS Ultrasound Imaging Catheter 77
- COMET™ II Physiology Pressure Wire 78

4 STRUCTURAL HEART

Transcatheter Aortic Valve Implantation (TAVI)

- SENTINEL™ Cerebral Protection System 82
- 14F iSLEEVE™ Expandable Introducer Set 82
- SAFARI2™ Pre-Shaped Guidewire 82

Left Atrial Appendage Closure (LAAC)

- WATCHMAN FLX™ LAA Closure Device and Delivery System 84
- WATCHMAN™ TruSeal™ Access System 84
- WATCHMAN™ FXD Curve 84

5 PULMONARY EMBOLISM

- EKOS™ Endovascular System 83

1
STENTS
AND DRUG
TECHNOLOGIES

2
COMPLEX
PCI

3
PCI
GUIDANCE

4
STRUCTURAL
HEART

5
PULMONARY
EMBOLISM

ORDERING INFORMATION

The complete model number must be indicated for ordering purposes.

Example:

Model Number		

H749 1981505 0		

Code for Interventional Cardiology Devices	Product Reference Number	Package Indication 0 = Single Unit 1 = Multiple Pack

Bold characters are used to facilitate product identification

Indications, contraindications, warnings and instructions for use can be found in the instructions for use supplied with each device.

CAUTION: The law restricts these devices to sale by or on the order of a physician.

For more information, please contact your Boston Scientific sales representative.

Illustrations in this catalogue are not drawn to scale.

Products shown are subject to modification without prior notice.

1
STENTS
AND DRUG
TECHNOLOGIES

2
COMPLEX
PCI

3
PCI
GUIDANCE

4
STRUCTURAL
HEART

5
PULMONARY
EMBOLISM

CONVERSION TABLES

1
STENTS
AND DRUG
TECHNOLOGIES

French (F)	mm
1.0	0.333
2.4	0.80
2.6	0.87
2.7	0.90
2.8	0.93
2.9	0.97
3.0	1.00
3.3	1.10
3.4	1.13
3.7	1.23
4.0	1.33
4.5	1.50
5.0	1.66
6.0	2.00
7.0	2.33
8.0	2.66
9.0	3.00
10.0	3.33
11.5	3.83
15.5	5.17
18.0	6.00
22.0	7.33
24.0	8.00
26.0	8.66
28.0	9.33
30.0	10.00
32.0	10.66
34.0	11.33

inch (")	mm
.008	0.20
.010	0.25
.012	0.30
.014	0.36
.018	0.46
.020	0.51
.021	0.53
.025	0.64
.026	0.66
.027	0.69
.028	0.71
.029	0.74
.030	0.76
.031	0.79
.032	0.81
.033	0.84
.034	0.86
.035	0.89
.036	0.91
.037	0.94
.038	0.97
.039	0.99
.040	1.02
.041	1.04
.042	1.07

inch (")	mm
.043	1.09
.044	1.12
.045	1.14
.046	1.17
.047	1.19
.048	1.22
.050	1.27
.052	1.32
.054	1.37
.056	1.42
.059	1.50
.061	1.55
.063	1.60
.064	1.63
.068	1.73
.071	1.80
.072	1.83
.074	1.88
.076	1.93
.077	1.96
.079	2.01
.082	2.08
.086	2.18
.092	2.34
.107	2.72



French (F)	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
mm ø	1.0	1.33	1.66	2.0	2.33	2.66	3.0	3.33	3.66	4.0	4.33	4.66	5.0	5.33	5.66
inch (")	.039	.053	.066	.079	.092	.105	.118	.144	.144	.156	.170	.184	.197	.210	.223



French (F)	18	19	20	22	24	26	28	30	32	34
mm ø	6.0	6.33	6.66	7.33	8.0	8.66	9.33	10.0	10.66	11.33
inch (")	.236	.249	.263	.288	.315	.341	.367	.393	.419	.445



2
COMPLEX
PCI

3
PCI
GUIDANCE

4
STRUCTURAL
HEART

5
PULMONARY
EMBOLISM





1

STENTS & DRUG TECHNOLOGIES

Abluminal Bioabsorbable Polymer DES

Permanent Polymer DES

Drug Coated Balloon

Abluminal
Bioabsorbable
Polymer DES

Permanent
Polymer DES

Drug Coated
Balloon





1

STENTS & DRUG TECHNOLOGIES

Abluminal Bioabsorbable Polymer DES

Permanent Polymer DES

Drug Coated Balloon



Abluminal
Bioabsorbable
Polymer DES

Permanent
Polymer DES

Drug Coated
Balloon



1. Abluminal Bioabsorbable Polymer DES

SYNERGY MEGATRON™*

Everolimus-Eluting Platinum Chromium Coronary Stent System

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	DIAMETER	PROX.SHAFT DIAMETER	DIST.SHAFT DIAMETER	NOMINAL PRESSURE	RATED BURST PRESSURE	OVEREXPANSION CAPABILITIES	STUT THICKNESS
H749 394270835 0 / 08714729985259	8 mm	3.50 mm	2.1F (0.70 mm)	2.6F (0.89 mm)	12 ATM (1117 kPa)	17 ATM (1620 kPa)	6.0	89 µm
H749 394270840 0 / 08714729985266	8 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	13 ATM (1117 kPa)	18 ATM (1620 kPa)	6.0	89 µm
H749 394270845 0 / 08714729985273	8 mm	4.50 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	14 ATM (1117 kPa)	19 ATM (1620 kPa)	6.0	89 µm
H749 394270850 0 / 08714729985280	8 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	15 ATM (1117 kPa)	20 ATM (1620 kPa)	6.0	89 µm
H749 394271235 0 / 08714729985297	12 mm	3.50 mm	2.1F (0.70 mm)	2.6F (0.89 mm)	16 ATM (1117 kPa)	21 ATM (1620 kPa)	6.0	89 µm
H749 394271240 0 / 08714729985303	12 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	17 ATM (1117 kPa)	22 ATM (1620 kPa)	6.0	89 µm
H749 394271245 0 / 08714729985310	12 mm	4.50 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	18 ATM (1117 kPa)	23 ATM (1620 kPa)	6.0	89 µm
H749 394271250 0 / 08714729985327	12 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	19 ATM (1117 kPa)	24 ATM (1620 kPa)	6.0	89 µm
H749 394271635 0 / 08714729985334	16 mm	3.50 mm	2.1F (0.70 mm)	2.6F (0.89 mm)	20 ATM (1117 kPa)	25 ATM (1620 kPa)	6.0	89 µm
H749 394271640 0 / 08714729985341	16 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	21 ATM (1117 kPa)	26 ATM (1620 kPa)	6.0	89 µm
H749 394271645 0 / 08714729985358	16 mm	4.50 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	22 ATM (1117 kPa)	27 ATM (1620 kPa)	6.0	89 µm
H749 394271650 0 / 08714729985365	16 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	23 ATM (1117 kPa)	28 ATM (1620 kPa)	6.0	89 µm
H749 394272035 0 / 08714729985372	20 mm	3.50 mm	2.1F (0.70 mm)	2.6F (0.89 mm)	24 ATM (1117 kPa)	29 ATM (1620 kPa)	6.0	89 µm
H749 394272040 0 / 08714729985389	20 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	25 ATM (1117 kPa)	30 ATM (1620 kPa)	6.0	89 µm
H749 394272045 0 / 08714729985396	20 mm	4.50 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	26 ATM (1117 kPa)	31 ATM (1620 kPa)	6.0	89 µm
H749 394272050 0 / 08714729985402	20 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	27 ATM (1117 kPa)	32 ATM (1620 kPa)	6.0	89 µm
H749 394272435 0 / 08714729985419	24 mm	3.50 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	28 ATM (1117 kPa)	33 ATM (1620 kPa)	6.0	89 µm
H749 394272440 0 / 08714729985426	24 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	29 ATM (1117 kPa)	34 ATM (1620 kPa)	6.0	89 µm
H749 394272445 0 / 08714729985433	24 mm	4.50 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	30 ATM (1117 kPa)	35 ATM (1620 kPa)	6.0	89 µm
H749 394272450 0 / 08714729985440	24 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	31 ATM (1117 kPa)	36 ATM (1620 kPa)	6.0	89 µm
H749 394272835 0 / 08714729985457	28 mm	3.50 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	32 ATM (1117 kPa)	37 ATM (1620 kPa)	6.0	89 µm
H749 394272840 0 / 08714729985464	28 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	33 ATM (1117 kPa)	38 ATM (1620 kPa)	6.0	89 µm
H749 394272845 0 / 08714729985471	28 mm	4.50 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	34 ATM (1117 kPa)	39 ATM (1620 kPa)	6.0	89 µm
H749 394272850 0 / 08714729985488	28 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	35 ATM (1117 kPa)	40 ATM (1620 kPa)	6.0	89 µm
H749 394273235 0 / 08714729985495	32 mm	3.50 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	36 ATM (1117 kPa)	41 ATM (1620 kPa)	6.0	89 µm
H749 394273240 0 / 08714729985501	32 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	37 ATM (1117 kPa)	42 ATM (1620 kPa)	6.0	89 µm
H749 394273245 0 / 08714729985518	32 mm	4.50 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	38 ATM (1117 kPa)	43 ATM (1620 kPa)	6.0	89 µm
H749 394273250 0 / 08714729985525	32 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.92 mm)	39 ATM (1117 kPa)	44 ATM (1620 kPa)	6.0	89 µm

Abluminal
Bioabsorbable
Polymer DES

Permanent
Polymer DES

Drug Coated
Balloon



1. Abluminal Bioabsorbable Polymer DES

SYNERGY™ XD* Abluminal Bioabsorbable Polymer DES

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	DIAMETER	PROX.SHAFT DIAMETER	DIST.SHAFT DIAMETER	NOMINAL PRESSURE	RATED BURST PRESSURE	OVEREXPANSION CAPABILITIES	STUT THICKNESS
H749 394170822 0 / 08714729980056	8 mm	2.25 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)	3.50 mm	74 µm
H749 394170825 0 / 08714729980131	8 mm	2.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)	3.50 mm	74 µm
H749 394170827 0 / 08714729980223	8 mm	2.75 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)	3.50 mm	74 µm
H749 394170830 0 / 08714729980315	8 mm	3.00 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)	4.25 mm	79 µm
H749 394170835 0 / 08714729980407	8 mm	3.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)	4.25 mm	79 µm
H749 394170840 0 / 08714729980490	8 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)	5.75 mm	81 µm
H749 394171222 0 / 08714729980063	12 mm	2.25 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)	3.50 mm	74 µm
H749 394171225 0 / 08714729980148	12 mm	2.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)	3.50 mm	74 µm
H749 394171227 0 / 08714729980230	12 mm	2.75 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)	3.50 mm	74 µm
H749 394171230 0 / 08714729980322	12 mm	3.00 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)	4.25 mm	79 µm
H749 394171235 0 / 08714729980414	12 mm	3.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)	4.25 mm	79 µm
H749 394171240 0 / 08714729980506	12 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)	5.75 mm	81 µm
H749 394171245 0 / 08714729980582	12 mm	4.50 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)	5.75 mm	81 µm
H749 394171250 0 / 08714729980643	12 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)	5.75 mm	81 µm
H749 394171622 0 / 08714729980070	16 mm	2.25 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394171625 0 / 08714729980155	16 mm	2.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394171627 0 / 08714729980247	16 mm	2.75 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394171630 0 / 08714729980339	16 mm	3.00 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394171635 0 / 08714729980421	16 mm	3.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394171640 0 / 08714729980513	16 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394171645 0 / 08714729980599	16 mm	4.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394171650 0 / 08714729980650	16 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394172022 0 / 08714729980087	20 mm	2.25 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394172025 0 / 08714729980162	20 mm	2.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394172027 0 / 08714729980254	20 mm	2.75 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394172030 0 / 08714729980346	20 mm	3.00 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394172035 0 / 08714729980438	20 mm	3.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394172040 0 / 08714729980520	20 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394172045 0 / 08714729980605	20 mm	4.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394172050 0 / 08714729980667	20 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394172422 0 / 08714729980094	24 mm	2.25 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394172425 0 / 08714729980179	24 mm	2.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394172427 0 / 08714729980261	24 mm	2.75 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394172430 0 / 08714729980353	24 mm	3.00 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394172435 0 / 08714729980445	24 mm	3.50 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394172440 0 / 08714729980537	24 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394172445 0 / 08714729980612	24 mm	4.50 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394172450 0 / 08714729980674	24 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394172822 0 / 08714729980100	28 mm	2.25 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394172825 0 / 08714729980186	28 mm	2.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394172827 0 / 08714729980278	28 mm	2.75 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394172830 0 / 08714729980360	28 mm	3.00 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394172835 0 / 08714729980452	28 mm	3.50 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394172840 0 / 08714729980544	28 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394172845 0 / 08714729980629	28 mm	4.50 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394172850 0 / 08714729980681	28 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394173222 0 / 08714729980117	32 mm	2.25 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394173225 0 / 08714729980193	32 mm	2.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394173227 0 / 08714729980285	32 mm	2.75 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394173230 0 / 08714729980377	32 mm	3.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394173235 0 / 08714729980469	32 mm	3.50 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394173240 0 / 08714729980551	32 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394173245 0 / 08714729980636	32 mm	4.50 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394173250 0 / 08714729980698	32 mm	5.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394173822 0 / 08714729980124	38 mm	2.25 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394173825 0 / 08714729980209	38 mm	2.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394173827 0 / 08714729980292	38 mm	2.75 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394173830 0 / 08714729980384	38 mm	3.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394173835 0 / 08714729980476	38 mm	3.50 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394173840 0 / 08714729980568	38 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm
H749 394174825 0 / 08714729980216	48 mm	2.50 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394174827 0 / 08714729980308	48 mm	2.75 mm	2.1F (0.70 mm)	2.6F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1827 kPa)	3.50 mm	74 µm
H749 394174830 0 / 08714729980391	48 mm	3.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394174835 0 / 08714729980483	48 mm	3.50 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	4.25 mm	79 µm
H749 394174840 0 / 08714729980575	48 mm	4.00 mm	2.1F (0.70 mm)	2.7F (0.95 mm)	11 ATM (1117 kPa)	16 ATM (1620 kPa)	5.75 mm	81 µm

Abluminal
Bioabsorbable
Polymer DES

Permanent
Polymer DES

Drug Coated
Balloon





1

STENTS & DRUG TECHNOLOGIES

Abluminal Bioabsorbable Polymer DES

Permanent Polymer DES

Drug Coated Balloon



Abluminal
Bioabsorbable
Polymer DES

Permanent
Polymer DES

Drug Coated
Balloon



Promus ELITE™*

Everolimus-Eluting Platinum Chromium Coronary Stent System

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	PROX. SHAFT DIAMETER	DIST. SHAFT DIAMETER	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 394130822 0 / 08714729971979	8 / 2.25 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394130825 0 / 08714729971986	8 / 2.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394130827 0 / 08714729971993	8 / 2.75 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394130830 0 / 08714729972006	8 / 3.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394130835 0 / 08714729972013	8 / 3.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394130840 0 / 08714729972020	8 / 4.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394131222 0 / 08714729972037	12 / 2.25 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394131225 0 / 08714729972044	12 / 2.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394131227 0 / 08714729972051	12 / 2.75 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394131230 0 / 08714729972068	12 / 3.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394131235 0 / 08714729972075	12 / 3.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394131240 0 / 08714729972082	12 / 4.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394131622 0 / 08714729972099	16 / 2.25 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394131625 0 / 08714729972105	16 / 2.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394131627 0 / 08714729972112	16 / 2.75 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394131630 0 / 08714729972129	16 / 3.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394131635 0 / 08714729972136	16 / 3.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394131640 0 / 08714729972143	16 / 4.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394132022 0 / 08714729972150	20 / 2.25 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394132025 0 / 08714729972167	20 / 2.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394132027 0 / 08714729972174	20 / 2.75 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394132030 0 / 08714729972181	20 / 3.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394132035 0 / 08714729972198	20 / 3.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394132040 0 / 08714729972204	20 / 4.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394132422 0 / 08714729972211	24 / 2.25 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394132425 0 / 08714729972228	24 / 2.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394132427 0 / 08714729972235	24 / 2.75 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394132430 0 / 08714729972242	24 / 3.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394132435 0 / 08714729972259	24 / 3.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394132440 0 / 08714729972266	24 / 4.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394132822 0 / 08714729972273	28 / 2.25 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394132825 0 / 08714729972280	28 / 2.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394132827 0 / 08714729972297	28 / 2.75 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394132830 0 / 08714729972303	28 / 3.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394132835 0 / 08714729972310	28 / 3.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394132840 0 / 08714729972327	28 / 4.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394133222 0 / 08714729972334	32 / 2.25 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394133225 0 / 08714729972341	32 / 2.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394133227 0 / 08714729972358	32 / 2.75 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394133230 0 / 08714729972365	32 / 3.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394133235 0 / 08714729972372	32 / 3.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394133240 0 / 08714729972389	32 / 4.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394133825 0 / 08714729972396	38 / 2.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394133827 0 / 08714729972402	38 / 2.75 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	18 ATM (1824 kPa)
H749 394133830 0 / 08714729972419	38 / 3.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394133835 0 / 08714729972426	38 / 3.50 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)
H749 394133840 0 / 08714729972433	38 / 4.00 mm	2.1 F (0.70 mm)	2.7F (0.90 mm)	11 ATM (1117 kPa)	16 ATM (1621 kPa)

Abluminal
Bioabsorbable
Polymer DES

Permanent
Polymer DES

Drug Coated
Balloon





1 STENTS & DRUG TECHNOLOGIES

Abluminal Bioabsorbable Polymer DES

Permanent Polymer DES

Drug Coated Balloon

Permanent
Polymer DES



Drug Coated
Balloon



1. Drug Coated Balloon

AGENT™

Paclitaxel-Coated PTCA Balloon Catheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	PROX.SHAFT DIAMETER	DIST.SHAFT DIAMETER	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 3922220121 0 / 08714729831402	12 mm	2.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922220201 0 / 08714729831426	20 mm	2.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922220301 0 / 08714729831433	30 mm	2.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922222121 0 / 08714729831457	12 mm	2.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922222151 0 / 08714729831464	15 mm	2.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922222201 0 / 08714729831471	20 mm	2.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922222301 0 / 08714729831488	30 mm	2.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922225121 0 / 08714729831501	12 mm	2.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922225151 0 / 08714729831518	15 mm	2.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922225201 0 / 08714729831525	20 mm	2.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922225301 0 / 08714729831532	30 mm	2.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922227121 0 / 08714729831556	12 mm	2.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922227151 0 / 08714729831563	15 mm	2.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922227201 0 / 08714729831570	20 mm	2.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922227301 0 / 08714729831587	30 mm	2.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922230121 0 / 08714729831600	12 mm	3.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922230151 0 / 08714729831617	15 mm	3.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922230201 0 / 08714729831624	20 mm	3.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922230301 0 / 08714729831631	30 mm	3.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 3922235121 0 / 08714729831709	12 mm	3.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 3922235151 0 / 08714729831716	15 mm	3.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 3922235201 0 / 08714729831723	20 mm	3.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 3922235301 0 / 08714729831730	30 mm	3.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 3922240121 0 / 08714729831808	12 mm	4.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 3922240151 0 / 08714729831815	15 mm	4.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 3922240201 0 / 08714729831822	20 mm	4.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 3922240301 0 / 08714729831839	30 mm	4.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)

Abluminal
Bioabsorbable
Polymer DES

Permanent
Polymer DES

Drug Coated
Balloon





2

COMPLEX PCI

- Balloon Catheters
- Microdilatation Catheters
- Guide Catheters
- Guide Catheter Extension
- Angiographic Catheters
- Guidewires
- Embolic Protection
- Accessories
- Cutting Balloon™
- Atherectomy Devices
- Chronic Total Occlusions

Balloon Catheters

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions





2

COMPLEX PCI

Balloon Catheters

Microdilatation Catheters

Guide Catheters

Guide Catheter Extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



Balloon Catheters

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



2. Pre-dilatation Balloon Catheters

FG EMERGE™ Monorail™ PTCA Dilatation Catheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	LESION ENTRY PROFILE	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 391940812 0 / 08714729799689	8 / 1.20 mm Push	0.017" / 0.43	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391940815 0 / 08714729799726	8 / 1.50 mm Push	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391930822 0 / 08714729799795	8 / 2.25 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391930825 0 / 08714729799801	8 / 2.50 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391930827 0 / 08714729799818	8 / 2.75 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391930830 0 / 08714729799825	8 / 3.00 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391930832 0 / 08714729799832	8 / 3.25 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391930835 0 / 08714729799849	8 / 3.50 mm	0.017" / 0.43	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391930837 0 / 08714729799856	8 / 3.75 mm	0.017" / 0.43	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391930840 0 / 08714729799863	8 / 4.00 mm	0.017" / 0.43	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391931212 0 / 08714729799870	12 / 1.20 mm	0.017" / 0.43	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391941212 0 / 08714729799696	12 / 1.20 mm Push	0.017" / 0.43	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391931215 0 / 08714729799887	12 / 1.50 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391941215 0 / 08714729799733	12 / 1.50 mm Push	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931220 0 / 08714729799894	12 / 2.00 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931222 0 / 08714729799900	12 / 2.25 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931225 0 / 08714729799917	12 / 2.50 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931227 0 / 08714729799924	12 / 2.75 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931230 0 / 08714729799931	12 / 3.00 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931232 0 / 08714729799948	12 / 3.25 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931235 0 / 08714729799955	12 / 3.50 mm	0.017" / 0.43	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391931237 0 / 08714729799962	12 / 3.75 mm	0.017" / 0.43	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391931240 0 / 08714729799979	12 / 4.00 mm	0.017" / 0.43	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391931512 0 / 08714729799986	15 / 1.20 mm	0.017" / 0.43	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391941512 0 / 08714729799702	15 / 1.20 mm Push	0.017" / 0.43	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391931515 0 / 08714729799993	15 / 1.50 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391941515 0 / 08714729799740	15 / 1.50 mm Push	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931520 0 / 08714729800002	15 / 2.00 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931522 0 / 08714729800019	15 / 2.25 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931525 0 / 08714729800026	15 / 2.50 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931527 0 / 08714729800033	15 / 2.75 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931530 0 / 08714729800040	15 / 3.00 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931532 0 / 08714729800057	15 / 3.25 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391931535 0 / 08714729800064	15 / 3.50 mm	0.017" / 0.43	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391931537 0 / 08714729800071	15 / 3.75 mm	0.017" / 0.43	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391931540 0 / 08714729800088	15 / 4.00 mm	0.017" / 0.43	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391932012 0 / 08714729800095	20 / 1.20 mm	0.017" / 0.43	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391942012 0 / 08714729799719	20 / 1.20 mm Push	0.017" / 0.43	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391932015 0 / 08714729800101	20 / 1.50 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391942015 0 / 08714729799757	20 / 1.50 mm Push	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391932020 0 / 08714729800118	20 / 2.00 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391932022 0 / 08714729800125	20 / 2.25 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391932025 0 / 08714729800132	20 / 2.50 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391932027 0 / 08714729800149	20 / 2.75 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391932030 0 / 08714729800156	20 / 3.00 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391932032 0 / 08714729800163	20 / 3.25 mm	0.017" / 0.43	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391932035 0 / 08714729800170	20 / 3.50 mm	0.017" / 0.43	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391932037 0 / 08714729800187	20 / 3.75 mm	0.017" / 0.43	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391932040 0 / 08714729800194	20 / 4.00 mm	0.017" / 0.43	6 ATM (608 kPa)	12 ATM (1216 kPa)

Continued next page >



2. Pre-dilatation Balloon Catheters

EMERGE™ Monorail™ Continued PTCA Dilatation Catheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	LESION ENTRY PROFILE	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 391933020 0 / 08714729800200	30 / 2.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391933022 0 / 08714729800217	30 / 2.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391933025 0 / 08714729800224	30 / 2.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391933027 0 / 08714729800231	30 / 2.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391933030 0 / 08714729800248	30 / 3.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391933032 0 / 08714729800255	30 / 3.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391933035 0 / 08714729800262	30 / 3.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391933037 0 / 08714729800279	30 / 3.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391933040 0 / 08714729800286	30 / 4.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)

EMERGE™ OTW* PTCA Dilatation Catheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	LESION ENTRY PROFILE	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 391950812 0 / 08714729800378	8 / 1.20 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391960812 0 / 08714729800293	8 / 1.20 mm Push	0.017" / 0.43 mm	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391950815 0 / 08714729800385	8 / 1.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391960815 0 / 08714729800330	8 / 1.50 mm Push	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391950820 0 / 08714729800392	8 / 2.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391950822 0 / 08714729800408	8 / 2.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391950825 0 / 08714729800415	8 / 2.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391950827 0 / 08714729800422	8 / 2.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391950830 0 / 08714729800439	8 / 3.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391950832 0 / 08714729800446	8 / 3.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391950835 0 / 08714729800453	8 / 3.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391950837 0 / 08714729800460	8 / 3.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391950840 0 / 08714729800477	8 / 4.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391951212 0 / 08714729800484	12 / 1.20 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391961212 0 / 08714729800309	12 / 1.20 mm Push	0.017" / 0.43 mm	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391951215 0 / 08714729800491	12 / 1.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391961215 0 / 08714729800347	12 / 1.50 mm Push	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951220 0 / 08714729800507	12 / 2.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951222 0 / 08714729800514	12 / 2.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951225 0 / 08714729800521	12 / 2.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951227 0 / 08714729800538	12 / 2.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951230 0 / 08714729800545	12 / 3.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951232 0 / 08714729800552	12 / 3.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951235 0 / 08714729800569	12 / 3.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391951237 0 / 08714729800576	12 / 3.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391951240 0 / 08714729800583	12 / 4.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391951512 0 / 08714729800590	15 / 1.20 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391961512 0 / 08714729800316	15 / 1.20 mm Push	0.017" / 0.43 mm	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391951515 0 / 08714729800606	15 / 1.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391961515 0 / 08714729800354	15 / 1.50 mm Push	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951520 0 / 08714729800613	15 / 2.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951522 0 / 08714729800620	15 / 2.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951525 0 / 08714729800637	15 / 2.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951527 0 / 08714729800644	15 / 2.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)

Continued next page >



2. Pre-dilatation Balloon Catheters

EMERGE™ OTW* Continued PTCA Dilatation Catheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	LESION ENTRY PROFILE	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 391951530 0 / 08714729800651	15 / 3.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951532 0 / 08714729800668	15 / 3.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391951535 0 / 08714729800675	15 / 3.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391951537 0 / 08714729800682	15 / 3.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391951540 0 / 08714729800699	15 / 4.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391952012 0 / 08714729800705	20 / 1.20 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391962012 0 / 08714729800323	20 / 1.20 mm Push	0.017" / 0.43 mm	6 ATM (608 kPa)	18 ATM (1824 kPa)
H749 391952015 0 / 08714729800712	20 / 1.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391962015 0 / 08714729800361	20 / 1.50 mm Push	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391952020 0 / 08714729800729	20 / 2.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391952022 0 / 08714729800736	20 / 2.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391952025 0 / 08714729800743	20 / 2.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391952027 0 / 08714729800750	20 / 2.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391952030 0 / 08714729800767	20 / 3.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391952032 0 / 08714729800774	20 / 3.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391952035 0 / 08714729800781	20 / 3.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391952037 0 / 08714729800798	20 / 3.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391952040 0 / 08714729800804	20 / 4.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391953020 0 / 08714729800811	30 / 2.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391953022 0 / 08714729800828	30 / 2.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391953025 0 / 08714729800835	30 / 2.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391953027 0 / 08714729800842	30 / 2.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391953030 0 / 08714729800859	30 / 3.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391953032 0 / 08714729800866	30 / 3.25 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 391953035 0 / 08714729800873	30 / 3.50 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391953037 0 / 08714729800880	30 / 3.75 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 391953040 0 / 08714729800897	30 / 4.00 mm	0.017" / 0.43 mm	6 ATM (608 kPa)	12 ATM (1216 kPa)



2. Pre-dilatation Balloon Catheters

MAVERICK²™ Monorail™

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	LESION ENTRY PROFILE	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 389280920 0 / 08714729369875	9 / 2.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389280922 0 / 08714729369882	9 / 2.25 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389280925 0 / 08714729369899	9 / 2.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389280927 0 / 08714729369905	9 / 2.75 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389280930 0 / 08714729369912	9 / 3.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389280932 0 / 08714729369929	9 / 3.25 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389280935 0 / 08714729369936	9 / 3.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389280937 0 / 08714729369943	9 / 3.75 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389280940 0 / 08714729369950	9 / 4.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389281220 0 / 08714729369967	12 / 2.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389281222 0 / 08714729369974	12 / 2.25 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389281225 0 / 08714729369981	12 / 2.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389281227 0 / 08714729369998	12 / 2.75 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389281230 0 / 08714729370000	12 / 3.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389281232 0 / 08714729370017	12 / 3.25 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389281235 0 / 08714729370024	12 / 3.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389281237 0 / 08714729370031	12 / 3.75 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389281240 0 / 08714729370048	12 / 4.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389281515 0 / 08714729370055	15 / 1.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389281520 0 / 08714729370062	15 / 2.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389281522 0 / 08714729370079	15 / 2.25 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389281525 0 / 08714729370086	15 / 2.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389281527 0 / 08714729370093	15 / 2.75 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389281530 0 / 08714729370109	15 / 3.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389281532 0 / 08714729370116	15 / 3.25 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389281535 0 / 08714729370123	15 / 3.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389281537 0 / 08714729370130	15 / 3.75 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389281540 0 / 08714729370147	15 / 4.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389282015 0 / 08714729370154	20 / 1.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389282020 0 / 08714729370161	20 / 2.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389282022 0 / 08714729370178	20 / 2.25 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389282025 0 / 08714729370185	20 / 2.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389282027 0 / 08714729370192	20 / 2.75 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389282030 0 / 08714729370208	20 / 3.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389282032 0 / 08714729370215	20 / 3.25 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389282035 0 / 08714729370222	20 / 3.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389282037 0 / 08714729370239	20 / 3.75 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389282040 0 / 08714729370246	20 / 4.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389282520 0 / 08714729370253	25 / 2.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389282522 0 / 08714729370260	25 / 2.25 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389282525 0 / 08714729370277	25 / 2.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389282527 0 / 08714729370284	25 / 2.75 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389282530 0 / 08714729370291	25 / 3.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389282532 0 / 08714729370307	25 / 3.25 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389282535 0 / 08714729370314	25 / 3.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389282537 0 / 08714729370321	25 / 3.75 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389282540 0 / 08714729370338	25 / 4.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389283020 0 / 08714729370345	30 / 2.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389283022 0 / 08714729370352	30 / 2.25 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389283025 0 / 08714729370369	30 / 2.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389283027 0 / 08714729370376	30 / 2.75 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389283030 0 / 08714729370383	30 / 3.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389283032 0 / 08714729370390	30 / 3.25 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	14 ATM (1419 kPa)
H749 389283035 0 / 08714729370406	30 / 3.50 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389283037 0 / 08714729370413	30 / 3.75 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)
H749 389283040 0 / 08714729370420	30 / 4.00 mm	0.017" (0.43 mm)	6 ATM (608 kPa)	12 ATM (1216 kPa)



2. Post-dilatation Balloon Catheters

NC EMERGE™ Monorail™

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	LESION ENTRY PROFILE	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 392760620 0 / 08714729846833	6 / 2.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760622 0 / 08714729846840	6 / 2.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760625 0 / 08714729846857	6 / 2.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760627 0 / 08714729846864	6 / 2.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760630 0 / 08714729846871	6 / 3.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760632 0 / 08714729846888	6 / 3.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760635 0 / 08714729846895	6 / 3.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760637 0 / 08714729846901	6 / 3.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760640 0 / 08714729846918	6 / 4.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760645 0 / 08714729846925	6 / 4.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392760650 0 / 08714729846932	6 / 5.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392760820 0 / 08714729846949	8 / 2.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760822 0 / 08714729846956	8 / 2.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760825 0 / 08714729846963	8 / 2.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760827 0 / 08714729846970	8 / 2.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760830 0 / 08714729846987	8 / 3.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760832 0 / 08714729846994	8 / 3.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760835 0 / 08714729847007	8 / 3.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760837 0 / 08714729847014	8 / 3.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760840 0 / 08714729847021	8 / 4.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392760845 0 / 08714729847038	8 / 4.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392760850 0 / 08714729847045	8 / 5.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392760855 0 / 08714729847052	8 / 5.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392760860 0 / 08714729847069	8 / 6.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392761220 0 / 08714729847076	12 / 2.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761222 0 / 08714729847083	12 / 2.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761225 0 / 08714729847090	12 / 2.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761227 0 / 08714729847106	12 / 2.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761230 0 / 08714729847113	12 / 3.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761232 0 / 08714729847120	12 / 3.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761235 0 / 08714729847137	12 / 3.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761237 0 / 08714729847144	12 / 3.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761240 0 / 08714729847151	12 / 4.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761245 0 / 08714729847168	12 / 4.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392761250 0 / 08714729847175	12 / 5.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392761255 0 / 08714729847182	12 / 5.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392761260 0 / 08714729847199	12 / 6.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392761520 0 / 08714729847205	15 / 2.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761522 0 / 08714729847212	15 / 2.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761525 0 / 08714729847229	15 / 2.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761527 0 / 08714729847236	15 / 2.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761530 0 / 08714729847243	15 / 3.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761532 0 / 08714729847250	15 / 3.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761535 0 / 08714729847267	15 / 3.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761537 0 / 08714729847274	15 / 3.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761540 0 / 08714729847281	15 / 4.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392761545 0 / 08714729847298	15 / 4.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392761550 0 / 08714729847304	15 / 5.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392761555 0 / 08714729847311	15 / 5.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392761560 0 / 08714729847328	15 / 6.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)

Continued next page >



NC EMERGE™ Monorail™ Continued

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	LESION ENTRY PROFILE	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 392762020 0 / 08714729847335	20 / 2.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392762022 0 / 08714729847342	20 / 2.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392762025 0 / 08714729847359	20 / 2.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392762027 0 / 08714729847366	20 / 2.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392762030 0 / 08714729847373	20 / 3.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392762032 0 / 08714729847380	20 / 3.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392762035 0 / 08714729847397	20 / 3.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392762037 0 / 08714729847403	20 / 3.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392762040 0 / 08714729847410	20 / 4.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392762045 0 / 08714729847427	20 / 4.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392762050 0 / 08714729847434	20 / 5.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392762055 0 / 08714729847441	20 / 5.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392762060 0 / 08714729847458	20 / 6.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 392763020 0 / 08714729847465	30 / 2.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392763022 0 / 08714729847472	30 / 2.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392763025 0 / 08714729847489	30 / 2.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392763027 0 / 08714729847496	30 / 2.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392763030 0 / 08714729847502	30 / 3.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392763032 0 / 08714729847519	30 / 3.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392763035 0 / 08714729847526	30 / 3.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392763037 0 / 08714729847533	30 / 3.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 392763040 0 / 08714729847540	30 / 4.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)



2. Post-dilatation Balloon Catheters

NC QUANTUM APEX™

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	LESION ENTRY PROFILE	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 391240620 0 / 08714729783008	6 / 2.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240622 0 / 08714729783015	6 / 2.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240625 0 / 08714729783022	6 / 2.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240627 0 / 08714729783039	6 / 2.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240630 0 / 08714729783046	6 / 3.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240632 0 / 08714729783053	6 / 3.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240635 0 / 08714729783060	6 / 3.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240637 0 / 08714729783077	6 / 3.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240640 0 / 08714729783084	6 / 4.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240645 0 / 08714729783091	6 / 4.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 391240650 0 / 08714729783107	6 / 5.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 391240820 0 / 08714729783114	8 / 2.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240822 0 / 08714729783121	8 / 2.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240825 0 / 08714729783138	8 / 2.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240827 0 / 08714729783145	8 / 2.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240830 0 / 08714729783152	8 / 3.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240832 0 / 08714729783169	8 / 3.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240835 0 / 08714729783176	8 / 3.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240837 0 / 08714729783183	8 / 3.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240840 0 / 08714729783190	8 / 4.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391240845 0 / 08714729783206	8 / 4.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 391240850 0 / 08714729783213	8 / 5.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 391241220 0 / 08714729783220	12 / 2.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241222 0 / 08714729783237	12 / 2.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241225 0 / 08714729783244	12 / 2.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241227 0 / 08714729783251	12 / 2.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241230 0 / 08714729783268	12 / 3.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241232 0 / 08714729783275	12 / 3.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241235 0 / 08714729783282	12 / 3.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241237 0 / 08714729783299	12 / 3.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241240 0 / 08714729783305	12 / 4.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241245 0 / 08714729783312	12 / 4.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 391241250 0 / 08714729783329	12 / 5.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 391241520 0 / 08714729783336	15 / 2.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241522 0 / 08714729783343	15 / 2.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241525 0 / 08714729783350	15 / 2.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241527 0 / 08714729783367	15 / 2.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241530 0 / 08714729783374	15 / 3.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241532 0 / 08714729783381	15 / 3.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241535 0 / 08714729783398	15 / 3.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241537 0 / 08714729783404	15 / 3.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241540 0 / 08714729783411	15 / 4.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391241545 0 / 08714729783428	15 / 4.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 391241550 0 / 08714729783435	15 / 5.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)

Continued next page >

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



NC QUANTUM APEX™ Continued

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	LESION ENTRY PROFILE	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 391242020 0 / 08714729783336	20 / 2.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391242022 0 / 08714729783343	20 / 2.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391242025 0 / 08714729783350	20 / 2.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391242027 0 / 08714729783367	20 / 2.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391242030 0 / 08714729783374	20 / 3.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391242032 0 / 08714729783381	20 / 3.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391242035 0 / 08714729783398	20 / 3.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391242037 0 / 08714729783404	20 / 3.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391242040 0 / 08714729783411	20 / 4.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391242045 0 / 08714729783428	20 / 4.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 391242050 0 / 08714729783435	20 / 5.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	18 ATM (1824 kPa)
H749 391243020 0 / 08714729783374	30 / 2.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391243022 0 / 08714729783381	30 / 2.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391243025 0 / 08714729783398	30 / 2.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391243027 0 / 08714729783404	30 / 2.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391243030 0 / 08714729783411	30 / 3.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391243032 0 / 08714729783428	30 / 3.25 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391243035 0 / 08714729783435	30 / 3.50 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391243037 0 / 08714729783428	30 / 3.75 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)
H749 391243040 0 / 08714729783435	30 / 4.00 mm	0.017" (0.43 mm)	12 ATM (1216 kPa)	20 ATM (2026 kPa)





2

COMPLEX PCI

Balloon Catheters

Microdilatation Catheters

Guide Catheters

Guide Catheter Extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



Balloon Catheters

Microdilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



THREADER™ Microdilatation Catheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	SIZE	TYPE
H749 392691212 0 / 8714729848127	1.2 mm x 12 mm	Monorail™
H749 392701212 0 / 8714729848134	1.2 mm x 12 mm	Over-the-Wire

MAMBA™ 135 Microcatheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	LESION ENTRY PROFILE	CROSSING PROFILE	PROXIMAL SHAFT PROFILE	DISTAL I.D. (IN/MM)	PROXIMAL I.D. (IN/MM)	USABLE LENGTH (CM)	COMPATIBLE GUIDEWIRE DIAMETER (IN/MM)
H749 392871352 0 / 8714729940265	1.4F	2.4F	2.9F	0.018/.46	0.023/.58	135	0.014/.36



MAMBA™ FLEX 135 Microcatheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	LESION ENTRY PROFILE	CROSSING PROFILE	PROXIMAL SHAFT PROFILE	DISTAL I.D. (IN/MM)	PROXIMAL I.D. (IN/MM)	USABLE LENGTH (CM)	COMPATIBLE GUIDEWIRE DIAMETER (IN/MM)
H749 392871356 0 / 08714729940302	1.4F	2.1F	2.9F	0.018/.46	0.023/.58	135	0.014/.36



MAMBA™ FLEX 150 Microcatheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	LESION ENTRY PROFILE	CROSSING PROFILE	PROXIMAL SHAFT PROFILE	DISTAL I.D. (IN/MM)	PROXIMAL I.D. (IN/MM)	USABLE LENGTH (CM)	COMPATIBLE GUIDEWIRE DIAMETER (IN/MM)
H749 392871502 0 / 08714729940340	1.4F	2.1F	2.9F	0.018/.46	0.023/.58	150	0.014/.36





2

COMPLEX PCI

Balloon Catheters

Microdilatation Catheters

Guide Catheters

Guide Catheter Extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



Balloon Catheters

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™










Atherectomy Devices

Chronic Total Occlusions












Curves Overview











Left Coronary Curves

-  Amplatz™ Left Curve (AL)
-  CLS™ Curve
-  Femoral Left Curve (FL)
-  Femoral Curve Left (FCL)
-  Judkins Left Curve (JL)
-  KIESZ™ Left Curve (KL)
-  Left Back-Up Curve
-  Q-Curve™
-  VODA Left™ Curve





Right Coronary Curves

-  ALLRIGHT™ Curve (ART)
-  Amplatz™ Right Curve (AR)
-  Femoral Right Curve (FR)
-  Hockey Stick Curve (HS)
-  Judkins Right Curve (JR)
-  KIESZ™ Right Curves (KRH and KRS)
-  Multipurpose Curve (MP)
-  Right Coronary Shepherd's Crook Curve (RC)
-  Williams Right Posterior Curve (WRP)

Radial Curves

-  Brachial Curve (BR)
-  KIMNY™ Curve
-  Left Back-Up Curve
-  Mann Internal Mammary Curve (Mann IM)
-  MUTA™ Left Curve (ML)
-  Radial Back-Up Curve (RB)
-  Radial Back-Up Right Curve (RBR)
-  Radial Back-Up Left Curve (RBL)
-  Radial Curve
-  TIG Curve

Additional Curves

-  Internal Mammary Cummings Curve (IMC)
-  Internal Mammary Curve (IM)
-  Left Coronary Bypass Curve (LCB)
-  Right Coronary Bypass Curve (RCB)



MACH 1™
Femoral Approach Left Curve

CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)		7F = 2.33 MM (.081" = 2.05 MM ID)		8F = 2.66 MM (.091" = 2.31 MM ID)	
	NO SIDE HOLES	SIDE HOLES	NO SIDE HOLES	SIDE HOLES	NO SIDE HOLES	SIDE HOLES
FL3	H749 3435605 0 08714729350446	-	-	-	-	-
FL3.5	H749 3435606 0 08714729350453	H749 3435652 0 08714729350781	H749 3435706 0 08714729378846	H749 3435752 0 08714729380191	H749 3435806 0 08714729381501	H749 3435852 0 08714729382935
FL4	H749 3435607 0 08714729350460	H749 3435653 0 -	H749 3435707 0 08714729378853	H749 3435753 0 08714729380306	H749 3435807 0 08714729381518	H749 3435853 0 08714729383048
FL4.5	H749 3435608 0 08714729350477	-	H749 3435708 0 08714729378860	H749 3435754 0 08714729380351	H749 3435808 0 08714729381525	-
FL5	H749 3435609 0 08714729350484	-	H749 3435709 0 08714729378877	H749 3435755 0 08714729380368	H749 3435809 0 08714729381532	H749 3435855 0 08714729383109
FL6	H749 3435610 0 08714729350491	-	-	-	-	H749 3435856 0 08714729383116
FL3.5 ST	H749 3435628 0 08714729351269	-	-	-	-	-
FL4 ST	H749 3435629 0 08714729351283	-	-	-	-	-
FL4.5 ST	H749 3435630 0 08714729351351	-	-	-	-	-
FL5 ST	H749 3435631 0 08714729351368	-	-	-	-	-
FCL3.5	H749 34356272 0 08714729351238	-	H749 34357272 0 08714729379584	-	-	-
FCL4	H749 34356273 0 08714729351245	-	-	-	H749 34358273 0 08714729382270	-
JL3	H749 34356660 0 08714729351849	-	H749 34357660 0 08714729380818	H749 34357666 0 08714729380870	H749 34358660 0 08714729383536	H749 34358666 0 08714729383598
JL3.5	H749 34356661 0 08714729351856	H749 34356667 0 08714729378747	H749 34357661 0 08714729380825	H749 34357667 0 08714729380887	H749 34358661 0 08714729383543	H749 34358667 0 08714729383604
JL4	H749 34356662 0 08714729351863	H749 34356668 0 08714729378754	H749 34357662 0 08714729380832	H749 34357668 0 08714729380894	H749 34358662 0 08714729383550	H749 34358668 0 08714729383611
JL4 90 cm	-	-	-	-	H749 34358200 0 08714729842576	H749 34358201 0 08714729842583
JL4.5	H749 34356663 0 08714729351863	-	H749 34357663 0 08714729380849	H749 34357669 0 08714729380900	H749 34358663 0 08714729383567	H749 34358669 0 08714729383628
JL5	H749 34356664 0 08714729351887	-	H749 34357664 0 08714729380856	H749 34357670 0 08714729380924	H749 34358664 0 08714729383574	H749 34358670 0 08714729383642
JL6	H749 34356665 0 08714729351894	-	H749 34357665 0 08714729380863	H749 34357671 0 08714729380931	H749 34358665 0 08714729383581	-
JL3.5 ST	H749 34356673 0 08714729351917	-	-	-	H749 34358673 0 08714729383666	-
JL4 ST	H749 34356674 0 08714729351924	-	H749 34357674 0 08714729380955	H749 34357680 0 08714729381006	H749 34358674 0 08714729383673	H749 34358680 0 08714729383727

Continued next page >



MACH 1™ Continued
Femoral Approach Left Curve

	CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)		7F = 2.33 MM (.081" = 2.05 MM ID)		8F = 2.66 MM (.091" = 2.31 MM ID)		
		NO SIDE HOLES	SIDE HOLES	NO SIDE HOLES	SIDE HOLES	NO SIDE HOLES	SIDE HOLES	
Amplatz™ Left	AL.75	H749 3435622 0 08714729351894	-	H749 3435722 0 08714729379348	H749 34357124 0 08714729379041	H749 3435822 0 08714729382027	H749 34358124 0 08714729381716	
	AL.75 90 cm	-	-	-	-	H749 34358191 0 08714729842538	H749 34358192 0 08714729842545	
	AL1	H749 3435619 0 08714729351153	H749 3435668 0 08714729351955	H749 3435719 0 08714729379317	H749 3435768 0 08714729380993	H749 3435819 0 08714729381990	H749 3435868 0 08714729383710	
	AL1 90 cm	-	-	-	-	H749 34358376 0 08714729842613	H749 34358398 0 08714729842637	
	AL1.5	H749 3435685 0 08714729352143	-	H749 3435785 0 08714729381358	-	H749 3435885 0 08714729384083	-	
	AL2	H749 3435620 0 08714729351160	H749 3435669 0 08714729352020	H749 3435720 0 08714729379324	H749 3435769 0 08714729381099	H749 3435820 0 08714729382003	H749 3435869 0 08714729383819	
	AL2 90 cm	-	-	-	-	H749 34358377 0 08714729842620	H749 34358399 0 08714729842644	
	AL3	H749 3435621 0 08714729378549	-	-	-	-	-	
	Amplatz™ Left Short Tip	AL.75 ST	-	-	H749 34357108 0 08714729378938	H749 34357119 0 08714729378990	-	-
		AL1 ST	-	-	H749 34357103 0 08714729378891	H749 34357114 0 08714729378952	H749 34358103 0 08714729381556	H749 34358114 0 08714729381617
AL2 ST		-	-	H749 34357105 0 08714729378914	H749 34357116 0 08714729378976	-	-	
CLS™ Curve	CLS3	H749 34356573 0 08714729350637	-	H749 34357573 0 08714729380382	H749 34357577 0 08714729380467	H749 34358573 0 08714729383130	H749 34358577 0 08714729383215	
	CLS3.5	H749 34356574 0 08714729350644	H749 34356578 0 08714729350675	H749 34357574 0 08714729380405	H749 34357578 0 08714729380481	H749 34358574 0 08714729383154	H749 34358578 0 08714729383239	
	CLS4	H749 34356575 0 08714729350651	H749 34356579 0 08714729350682	H749 34357575 0 08714729380429	H749 34357579 0 08714729380504	H749 34358575 0 08714729383178	H749 34358579 0 08714729383253	
	CLS4.5	H749 34356576 0 08714729350668	-	H749 34357576 0 08714729380443	-	H749 34358576 0 08714729383192	-	
Kiesz™ Left	KL3	H749 34356611 0 08714729351696	-	H749 34357611 0 08714729380597	-	-	-	
	KL4	H749 34356612 0 08714729351702	-	H749 34357612 0 08714729380603	-	-	-	
Q-Curve™	Q3.5	H749 34356293 0 08714729351290	H749 34356297 0 08714729351337	H749 34357293 0 08714729350644	H749 34357297 0 08714729379744	H749 34358293 0 08714729382386	-	
	Q4	H749 34356294 0 08714729351306	H749 34356298 0 08714729351344	H749 34357294 0 08714729379713	H749 34357298 0 08714729379751	H749 34358294 0 08714729382393	-	
	Q4.5	H749 34356295 0 08714729351313	-	H749 34357295 0 08714729379720	H749 34357299 0 08714729379768	H749 34358295 0 08714729382409	-	
	Q5	H749 34356296 0 08714729351320	-	H749 34357296 0 08714729379737	H749 34357300 0 08714729379782	H749 34358296 0 08714729382416	-	
Voda Left™	VL3	H749 3435671 0 08714729352075	-	H749 3435771 0 08714729381228	H749 3435777 0 08714729381297	H749 3435871 0 08714729383956	H749 3435877 0 08714729384021	
	VL3.5	H749 3435672 0 08714729352082	H749 3435678 0 08714729352129	H749 3435772 0 08714729381242	H749 3435778 0 08714729381303	H749 3435872 0 08714729383970	H749 3435878 0 08714729384038	
	VL4	H749 3435673 0 08714729352099	H749 3435679 0 08714729352136	H749 3435773 0 08714729381259	H749 3435779 0 08714729381310	H749 3435873 0 08714729383987	H749 3435879 0 08714729384045	
	VL4.5	H749 3435674 0 08714729352105	-	H749 3435774 0 08714729381266	H749 3435780 0 08714729381327	H749 3435874 0 08714729383994	H749 3435880 0 08714729384052	
	VL5	H749 3435675 0 08714729352112	-	H749 3435775 0 08714729381273	H749 3435781 0 08714729381334	H749 3435875 0 08714729384007	H749 3435881 0 08714729384069	
Left Back-Up	90 cm/3,75	-	-	-	-	H749 34358715 0 08714729842651	H749 34358720 0 08714729842668	
	90 cm/3,5	-	-	-	-	H749 34358198 0 08714729842552	-	



MACH 1™
Femoral Approach Right Curve

	CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)		7F = 2.33 MM (.081" = 2.05 MM ID)		8F = 2.66 MM (.091" = 2.31 MM ID)	
		NO SIDE HOLES	SIDE HOLES	NO SIDE HOLES	SIDE HOLES	NO SIDE HOLES	SIDE HOLES
Femoral Right	FR3	H749 34356442 0 08714729351412	-	-	-	-	-
	FR3.5	H749 3435601 0 08714729350408	H749 3435647 0 08714729351450	H749 3435701 0 08714729378730	H749 3435747 0 08714729379966	H749 3435801 0 08714729381457	H749 3435847 0 08714729382768
	FR4	H749 3435602 0 08714729350415	H749 3435648 0 08714729351498	H749 3435702 0 08714729378808	H749 3435748 0 08714729380030	H749 3435802 0 08714729381464	H749 3435848 0 08714729382775
	FR4.5	H749 34356514 0 08714729350774	-	-	-	-	-
	FR5	H749 3435603 0 08714729350422	-	-	-	-	-
	FR4 90 cm	-	-	-	-	H749 34358372 0 08714729382508	H749 34358394 0 08714729382577
Femoral Right Short Tip	FR4 ST	H749 3435692 0 08714729352167	-	-	-	-	
Femoral Curve Right	FCR3.5	H749 34356279 0 08714729351252	-	H749 34357279 0 08714729379652	H749 34357276 0 08714729379621	-	-
	FCR4	-	-	H749 34357280 0 08714729379676	H749 34357277 0 08714729379638	H749 34358280 0 08714729382355	-
Judkins Right	JR3	H749 34356684 0 08714729351962	-	H749 34357684 0 08714729381037	H749 34357690 0 08714729381105	H749 34358684 0 08714729383758	-
	JR3.5	H749 34356685 0 08714729351979	H749 34356691 0 08714729352037	H749 34357685 0 08714729381044	H749 34357691 0 08714729381112	H749 34358685 0 08714729383765	H749 34358691 0 08714729383833
	JR4	H749 34356686 0 08714729351986	H749 34356692 0 08714729352044	H749 34357686 0 08714729381051	H749 34357692 0 08714729381129	H749 34358686 0 08714729383772	H749 34358692 0 08714729383840
	JR4.5	H749 34356687 0 08714729351993	-	H749 34357687 0 08714729381068	H749 34357693 0 08714729381136	H749 34358687 0 08714729383789	H749 34358693 0 08714729383857
	JR5	H749 34356688 0 08714729352006	-	H749 34357688 0 08714729381075	H749 34357694 0 08714729381143	H749 34358688 0 08714729383796	H749 34358694 0 08714729383864
	JR6	H749 34356689 0 08714729352013	-	H749 34357689 0 08714729381082	-	-	-
Judkins Right Short Tip	JR3.5 90 cm	-	-	-	-	H749 34358202 0 08714729842590	-
	JR4 90 cm	-	-	-	-	H749 34358708 0 08714729383932	-
	JR3.5 ST	H749 34356697 0 08714729352051	-	-	-	-	-
JR4 ST	H749 34356698 0 08714729352068	-	H749 34357698 0 08714729381174	H749 34357704 0 08714729381204	-	-	
allRight™	ART3	H749 34356496 0 08714729351504	H749 34356497 0 08714729351511	-	H749 34357497 0 08714729380061	H749 34358496 0 08714729382799	H749 34358497 0 08714729382805
	ART3.5	H749 34356498 0 08714729351528	H749 34356499 0 08714729351535	H749 34357498 0 08714729380078	H749 34357499 0 08714729380085	H749 34358498 0 08714729382812	H749 34358499 0 08714729382829
	ART4	H749 34356500 0 08714729350743	H749 34356501 0 08714729350750	H749 34357500 0 08714729380108	H749 34357501 0 08714729380115	H749 34358500 0 08714729382843	H749 34358501 0 08714729382850
	ART4.5	H749 34356502 0 08714729350767	-	-	-	-	-
Amplatz™ Right	AR1	H749 3435617 0 08714729351139	H749 3435666 0 08714729351832	H749 3435717 0 08714729379218	H749 3435766 0 08714729380801	H749 3435817 0 08714729381891	-
	AR2	H749 3435618 0 08714729351146	H749 3435667 0 08714729351900	H749 3435718 0 08714729379263	H749 3435767 0 08714729380917	H749 3435818 0 08714729381945	H749 3435867 0 08714729383635

Continued next page >



MACH 1™ Continued
Femoral Approach Right Curve

	CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)		7F = 2.33 MM (.081" = 2.05 MM ID)		8F = 2.66 MM (.091" = 2.31 MM ID)	
		NO SIDE HOLES	SIDE HOLES	NO SIDE HOLES	SIDE HOLES	NO SIDE HOLES	SIDE HOLES
Kiesz™ Right	KR3H	H749 34356648 0 08714729351771	H749 34356651 0 08714729378686	H749 34357648 0 08714729380689	- -	H749 34358648 0 08714729383406	- -
	KR4H	H749 34356649 0 08714729351788	H749 34356652 0 08714729378693	H749 34357649 0 08714729380696	- -	H749 34358649 0 08714729383413	- -
	KR3S	H749 34356654 0 08714729351801	- -	H749 34357654 0 08714729380740	- -	- -	- -
	KR4S	H749 34356655 0 08714729351818	H749 34356658 0 08714729378723	H749 34357655 0 08714729380757	- -	H749 34358655 0 08714729383475	- -
Right Coronary Shepherd's Crook	RC3.5 SC	H749 34356646 0 08714729351443	- -	H749 3435746 0 08714729379959	- -	- -	- -
	RC4 SC	H749 34356448 0 08714729351436	- -	H749 34357448 0 08714729379935	H749 34357449 0 08714729379942	H749 34358448 0 08714729382737	H749 34358449 0 08714729382744
Voda Right®	VR1	H749 34356230 0 08714729351184	- -	H749 34357230 0 08714729379362	- -	- -	- -
	VR2	H749 34356231 0 08714729351191	- -	H749 34357231 0 08714729379379	- -	H749 34358231 0 08714729382058	- -
Multipurpose	MP1	H749 3435638 0 08714729351375	H749 34356138 0 08714729351115	H749 3435738 0 08714729379812	H749 34357138 0 08714729379171	H749 3435838 0 08714729382515	H749 34358138 0 08714729381846
	MP1 90 cm	-	-	-	-	H749 34358380 0 08714729382522	-
	MP2	H749 3435639 0 08714729351382	- -	H749 3435739 0 08714729379829	H749 34357139 0 08714729379188	H749 3435839 0 08714729382560	H749 34358139 0 08714729381853
Hockey Stick	HS	H749 3435641 0 08714729351405	H749 34356141 0 08714729351122	H749 3435741 0 08714729379843	H749 34357141 0 08714729379201	H749 3435841 0 08714729382638	H749 34358141 0 08714729381877

MACH 1™
Mammary & Bypass Curves

	CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)		7F = 2.33 MM (.081" = 2.05 MM ID)		8F = 2.66 MM (.091" = 2.31 MM ID)	
		NO SIDE HOLES	SIDE HOLES	NO SIDE HOLES	SIDE HOLES	NO SIDE HOLES	SIDE HOLES
Internal Mammary	IM 85 cm	H749 34356122 0 08714729351061	- -	H749 34357122 0 08714729379027	H749 34357128 0 08714729379089	- -	- -
	IM 90 cm	H749 34356446 0 08714729351429	- -	-	H749 34357447 0 08714729379928	H749 34358446 0 08714729382713	- -
	IM 100 cm	H749 3435626 0 08714729351221	H749 34356129 0 08714729351108	H749 3435726 0 08714729379515	H749 34357129 0 08714729379096	H749 3435826 0 08714729382195	H749 34358129 0 08714729381761
Left and Right Coronary Bypass	LCB	H749 3435625 0 08714729351214	H749 34356127 0 08714729351092	H749 3435725 0 08714729379478	H749 34357127 0 08714729379072	H749 3435825 0 08714729382157	H749 34358127 0 08714729381747
	LCB 90 cm	-	-	-	-	H749 34358383 0 08714729382546	H749 34358405 0 08714729382614
	RCB	H749 3435624 0 08714729351207	H749 34356126 0 08714729351085	H749 3435724 0 08714729379409	- -	H749 3435824 0 08714729382089	H749 34358126 0 08714729381730



MACH 1™ Brachial Approach

	CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)		7F = 2.33 MM (.081" = 2.05 MM ID)	
		NO SIDE HOLES	SIDE HOLES	NO SIDE HOLES	SIDE HOLES
Brachial	BR1 80 cm	H749 3435640 0 08714729351399	- -	- -	- -

MACH 1™ Transradial Approach

	CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)		7F = 2.33 MM (.081" = 2.05 MM ID)	
		NO SIDE HOLES	SIDE HOLES	NO SIDE HOLES	SIDE HOLES
Kimny™	Kimny™	H749 34356583 0 08714729349600	H749 34356591 0 08714729350712	H749 34357583 0 08714729380542	- -
	Kimny™ Mini	H749 34356584 0 08714729350705	H749 34356592 0 08714729350729	- -	- -
Muta™ Left	ML3	H749 34356536 0 08714729350514	- -	- -	- -
	ML3.5	H749 34356537 0 08714729350521	- -	- -	- -
	ML4	H749 34356538 0 08714729350538	- -	- -	- -
Radial	RADIAL	H749 34356472 0 08714729351474	H749 34356473 0 08714729351481	- -	- -
Radial Short Tip	RADIAL ST	H749 34356470 0 08714729351467	- -	- -	- -

	CURVE STYLE	6F = 2.0 MM (.066" = 1.68 MM ID) NO SIDE HOLES
Radial Tig Curve	TIG3	H749 34356741 0 08714729886457
	TIG3.5	H749 34356742 0 08714729886464
	TIG4	H749 34356743 0 08714729886471
	TIG4.5	H749 34356744 0 08714729886488
	TIG5	H749 34356745 0 08714729886495
Radial Back-Up Left Curve	RBL3.5	H749 34356735 0 08714729886396
	RBL4	H749 34356736 0 08714729886402
	RBL4.5	H749 34356737 0 08714729886419
Radial Back-Up Right Curve	RBR3	H749 34356738 0 08714729886426
	RBR3.5	H749 34356739 0 08714729886433
	RBR4	H749 34356740 0 08714729886440



RUNWAY™

Femoral Approach Left Curve

	CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)		CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)			
		NO SIDE HOLES	SIDE HOLES		NO SIDE HOLES	SIDE HOLES		
Femoral Left	FL3	H749 3896905 0 08714729477662	-	Left Back-up	Left BU3	H749 38969713 0 08714729813118	H749 38969719 0 08714729813125	
	FL3.5	H749 3896906 0 08714729477679	H749 3896952 0 08714729478256		Left BU3.5	H749 38969714 0 08714729813132	H749 38969720 0 08714729790686	
	FL4	H749 3896907 0 08714729477686	H749 3896953 0 08714729478263		Left BU3.75	H749 38969715 0 08714729813149	H749 38969721 0 08714729820703	
	FL4.5	H749 3896908 0 08714729477693	-		Left BU4	H749 38969716 0 08714729813156	H749 38969722 0 08714729790679	
	FL5	H749 3896909 0 08714729477709	-		Left BU4.5	H749 38969717 0 08714729813163	H749 38969723 0 08714729820710	
	FL6	H749 3896910 0 08714729477716	-		Left BU5	H749 38969718 0 08714729813170	H749 38969724 0 08714729820727	
Femoral Curve Left	FCL3.5	H749 38969272 0 08714729477907	-	Femoral Left Short Tip	FL3.5 ST	H749 3896928 0 08714729477938	-	
	FCL4	H749 38969273 0 08714729477914	-		FL4 ST	H749 3896929 0 08714729477952	-	
Judkins Left	JL3	H749 38969660 0 08714729478706	-		FL4.5 ST	H749 3896930 0 08714729478027	-	
	JL3.5	H749 38969661 0 08714729478713	H749 38969667 0 08714729478768		FL5 ST	H749 3896931 0 08714729478034	-	
	JL4	H749 38969662 0 08714729478720	H749 38969668 0 08714729478775		CLS™ Curve Left	CLS3	H749 38969573 0 08714729478379	-
	JL4.5	H749 38969663 0 08714729478737	-			CLS3.5	H749 38969574 0 08714729478386	H749 38969578 0 08714729478416
	JL5	H749 38969664 0 08714729478744	-	CLS3.75		H749 38969577 0 08714729642534	H749 38969580 0 08714729642541	
	JL6	H749 38969665 0 08714729478751	-	CLS4		H749 38969575 0 08714729478393	H749 38969579 0 08714729478423	
JL3.5 ST	H749 38969673 0 08714729478799	-	CLS4.5	H749 38969576 0 08714729478409		-		
JL4 ST	H749 38969674 0 08714729478805	-	Kiesz™ Left	KL3H		H749 38969611 0 08714729478492	H749 38969614 0 08714729478522	
JL4.5 ST	H749 38969675 0 08714729478812	-		KL4H	H749 38969612 0 08714729478508	H749 38969615 0 08714729478539		
Amplatz™ Left	AL .75	H749 3896922 0 08714729477846	-	Q-Curve™	Q3.5	H749 38969293 0 08714729477969	H749 38969297 0 08714729478003	
	AL .75/ 90 cm	H749 38969191 0 08714729964995	-		Q4	H749 38969294 0 08714729477976	H749 38969298 0 08714729478010	
	AL1	H749 3896919 0 08714729477815	H749 3896968 0 08714729478836		Q4.5	H749 38969295 0 08714729477983	-	
	AL1/ 90 cm	H749 38969376 0 08714729965060	-		Q5	H749 38969296 0 08714729477990	-	
	AL1.5	H749 3896985 0 08714729479031	-		Voda Left™	VL3	H749 3896971 0 08714729478966	-
	AL2	H749 3896920 0 08714729477822	H749 3896969 0 08714729478904	VL3.5		H749 3896972 0 08714729478973	H749 3896978 0 08714729479017	
	AL3	H749 3896921 0 08714729477839	-	VL4		H749 3896973 0 08714729478980	H749 3896979 0 08714729479024	
					VL4.5	H749 3896974 0 08714729478997	-	
				VL5	H749 3896975 0 08714729479000	-		



RUNWAY™

Femoral Approach Right Curve

	CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)		CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)	
		NO SIDE HOLES	SIDE HOLES		NO SIDE HOLES	SIDE HOLES
Femoral Curve Right	FR3	H749 38969442 0 08714729478089	-	JR3	H749 38969684 0 08714729478843	-
	FR3.5	H749 38969901 0 08714729477624	H749 3896947 0 08714729478126	JR3.5	H749 38969685 0 08714729478850	H749 38969691 0 08714729478911
	FR4	H749 38969902 0 08714729477631	H749 3896948 0 08714729478164	JR4	H749 38969686 0 08714729478867	H749 38969692 0 08714729478928
	FR4.5	H749 38969514 0 08714729478249	-	JR4/ 125 cm	H749 38969956 0 08714729965381	-
	FR5	H749 38969903 0 08714729477648	-	JR4.5	H749 38969687 0 08714729478874	-
	FR6	H749 38969904 0 08714729477655	-	JR5	H749 38969688 0 08714729478881	-
Femoral Right Short Tip	FR4 ST	H749 38969992 0 08714729479055	-	JR6	H749 38969689 0 08714729478898	-
Femoral Curve Right	FCR3.5	H749 38969279 0 08714729477921	-	Judkins Right Short Tip	JR4 ST	H749 38969698 0 08714729478942
	FCR4	H749 38969280 0 08714729477945	-	ART3	H749 38969496 0 08714729478171	H749 38969497 0 08714729478188
Amplatz™ Right	AR1	H749 3896917 0 08714729477792	H749 3896966 0 08714729478690	allRight™	ART3.5	H749 38969498 0 08714729478195
	AR2	H749 3896918 0 08714729477808	H749 3896967 0 08714729478782	ART4	H749 38969500 0 08714729478218	H749 38969501 0 08714729478225
Kiesz™ Right	KR3H	H749 38969648 0 08714729478577	H749 38969651 0 08714729478607	ART4.5	H749 38969502 0 08714729478232	-
	KR4H	H749 38969649 0 08714729478584	H749 38969652 0 08714729478614	IM	H749 3896926 0 08714729477891	H749 38969129 0 08714729477761
	KR5H	H749 38969650 0 08714729478591	H749 38969653 0 08714729478621	IM 85 cm	H749 38969122 0 08714729477723	-
	KR3S	H749 38969654 0 08714729478638	H749 38969657 0 08714729478669	IM 90 cm	H749 38969446 0 08714729478096	-
	KR4S	H749 38969655 0 08714729478645	H749 38969658 0 08714729478676	IM 110 cm	H749 38969123 0 08714729477730	-
	KR5S	-	H749 38969659 0 08714729478683	Internal Mammary Cummings	IMC 90 cm	H749 38969638 0 08714729478560
Right Coronary Shepherd's Crook	RC3.5 SC	H749 3896946 0 08714729478119	-	Left and Right Coronary	LCB	H749 3896925 0 08714729477884
	RC4 SC	H749 38969448 0 08714729478102	-	RCB	H749 3896924 0 08714729477877	H749 38969127 0 08714729477754
Multipurpose	MP1	H749 3896938 0 08714729478041	H749 38969138 0 08714729477778	William Right Posterior	WRP	H749 38969609 0 08714729478478
	MP1/ 125 cm	H749 38969953 0 08714729965374	-	H749 38969610 0 08714729478485		
	MP2	H749 3896939 0 08714729478058	-			
Hockey Stick	HS	H749 3896941 0 08714729478072	H749 38969141 0 08714729477785			



RUNWAY™ Transradial Approach

	CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)		Radial	CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)	
		NO SIDE HOLES	SIDE HOLES			NO SIDE HOLES	SIDE HOLES
Kimny™	Kimny™	H749 38969583 0 08714729478430	H749 38969591 0 08714729478454	Radial	Radial	H749 38969472 0 08714729478140	H749 38969473 0 08714729478157
	Kimny™ mini	H749 38969584 0 08714729478447	- -				
Mann Internal Mammary	Mann IM 90 cm	H749 38969632 0 08714729478553	- -				
Muta™ Left	ML3	H749 38969536 0 08714729478270	- -				
	ML3.5	H749 38969537 0 08714729478287	- -				
	ML4	H749 38969538 0 08714729478294	- -				
	ML4.5	H749 38969539 0 08714729478300	- -				

RUNWAY™ Brachial Approach

	CURVE STYLE	6F = 2.0 MM (.070" = 1.78 MM ID)	
		NO SIDE HOLES	SIDE HOLES
Brachial	BR1 80 cm	H749 3896940 0 408714729478065	- -





2

COMPLEX PCI

Balloon Catheters

Microdilatation Catheters

Guide Catheters

Guide Catheter Extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



Balloon Catheters

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions

GUIDEZILLA™ II

Guide Catheter Extension

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION	COMPATIBLE GUIDE CATHETER	INNER DIAMETER	OUTER DIAMETER
H749 393351506 0 / 08714729939450	GUIDEZILLA™ II, 6F*	6F / 0.070" (1,78 mm)	0.057" (1,45 mm)	0.067" (1.71 mm)
H749 393351507 0 / 08714729939474	GUIDEZILLA™ II, 7F*	7F / 0.078" (1,98 mm)	0.063" (1,60 mm)	0.073" (1.86 mm)
H749 393351508 0 / 08714729939481	GUIDEZILLA™ II, 8F*	8F / 0.088" (2,24 mm)	0.072" (1,83 mm)	0.083" (2.11 mm)
H749 3933515061 0 / 08714729939467	GUIDEZILLA™ II, 6F*, Long	6F / 0.070" (1,78 mm)	0.057" (1,45 mm)	0.067" (1.71 mm)

* 6F = 2 mm, 7F = 2.33mm, 8F = 2.67 mm

Balloon
Catheters

Micro-
dilatation
Catheters

Guide
Catheters

Guide
Catheter
extension

Angiographic
Catheters

Guidewires

Embolic
Protection

Accessories

Cutting
Balloon™

Atherectomy
Devices

Chronic Total
Occlusions





2

COMPLEX PCI

Balloon Catheters

Microdilatation Catheters

Guide Catheters

Guide Catheter Extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



Balloon Catheters

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



IMPULSE™ Femoral Selective




	CURVE STYLE	LENGTH	QUANTITY	5F = 1.66 MM LEFT .047" = 1.2 MM ID RIGHT .045" = 1.14 MM ID	6F = 2.00 MM (.056" = 1.42 MM ID)
Femoral Left	FL 3.5	100 cm	5	H749 1639121 2 08714729188889	H749 1659921 2 08714729200222
	FL 4	100 cm	5	H749 1639122 2 08714729188896	H749 1659922 2 08714729200246
	FL 4	125 cm	5	H749 16391220 2 08714729153047	H749 16599220 2* 08714729304739*
	FL 4.5	100 cm	5	-	H749 1659923 2* 08714729200260*
	FL 5	100 cm	5	H749 1639124 2 08714729153092	H749 1659924 2 08714729200284
	FL 5	125 cm	5	H749 16391235 2* 08714729188919*	H749 16599235 2* 08714729200277*
	FL 6	100 cm	5	H749 1639125 2 08714729153115	H749 1659925 2 08714729200291
Femoral Right	FR 3.5	100 cm	5	H749 1639101 2 08714729188803	H749 1659901 2 08714729200093
	FR 4	100 cm	5	H749 1639102 2 08714729188810	H749 1659902 2 08714729200109
	FR 4	125 cm	5	H749 16391225 2 08714729188902	H749 16599225 2 08714729200253
	FR 4 MOD	100 cm	5	H749 1639105 2* 08714729166627*	H749 1659905 2* 08714729299431*
	FR 5	100 cm	5	H749 1639103 2 08714729152873	H749 1659903 2 08714729200116
	FR 5	125 cm	5	H749 16391230 2* 08714729153078*	H749 16599230 2* 08714729215769*
	FR 6	100 cm	5	H749 1639104 2* 08714729188827*	H749 1659904 2* 08714729200123*
Amplatz™ Left and Right	AL 1	100 cm	5	H749 1639196 2 08714729153214	H749 1659996 2 08714729200383
	AL 2	100 cm	5	H749 1639198 2 08714729190011	H749 1659998 2 08714729200390
	AL 3	100 cm	5	H749 16391100 2 08714729152897	H749 16599100 2 08714729200130
	AR 1	100 cm	5	H749 1639184 2 08714729153184	H749 1659984 2* 08714729200369*
	AR 2	100 cm	5	H749 1639186 2 08714729153191	H749 1659986 2* 08714729200376*
	AR MOD	100 cm	5	H749 1639189 2 08714729153207	H749 1659989 2 08714729216278

* Code available while supplies last.

Continued next page >



IMPULSE™ Continued Femoral Selective

	CURVE STYLE	LENGTH	QUANTITY	5F = 1.66 MM LEFT .047" = 1.2 MM ID RIGHT .045" = 1.14 MM ID	6F = 2.00 MM (.056" = 1.42 MM ID)
 <p>Multipurpose</p>	MP A-1	100 cm	5	H749 16391117 2 08714729152903	H749 16599117 2 08714729200147
	MP A-2 with side holes	100 cm	5	H749 16391121 2 08714729188834	H749 16599121 2* 08714729200154*
	MP A-2	125 cm	5	H749 16391122 2 08714729152972	H749 16599122 2* 08714729200161*
	MP B-1	100 cm	5	H749 16391142 2* 08714729188841*	H749 16599142 2* 08714729200178*
	MP B-2 with side holes	100 cm	5	H749 16391146 2* 08714729152941*	H749 16599146 2* 08714729200185*
 <p>Coronary Bypass</p>	LCB	100 cm	5	H749 16391195 2 08714729152996	H749 16599195 2 08714729200208
	RCB	100 cm	5	H749 16391190 2 08714729200086	H749 16599190 2 08714729200192
 <p>Internal Mammary</p>	IM	100 cm	5	H749 16391201 2 08714729188872	H749 16599201 2 08714729200215
	IM	125 cm	5	H749 16391240 2* 08714729188926*	H749 16599240 2* 08714729304807*
	IM Tight Curve	100 cm	5	H749 16391202 2* 08714729343295*	H749 16599202 2 08714729304647
	IMC	100 cm	5	H749 16391203 2* 08714729343318*	H749 16599203 2* 08714729304661*

* Code available while supplies last.



IMPULSE™ Ventricular Pigtail

	CURVE STYLE	LENGTH	QUANTITY	5F = 1.66 MM (.041" ID)	6F = 2.00 MM (.041" ID)
	PIG with Side Holes	110 cm	5	H749 1639140 2 08714729153153	H749 1659940 2 08714729200338
	PIG with Side Holes	125 cm	5	H749 16391215 2 08714729153023	H749 16599215 2 08714729200239
	PIG 145 with Side Holes	110 cm	5	H749 1639141 2 08714729153160	H749 1659941 2 08714729200345
	PIG 155 with Side Holes	110 cm	5	H749 1639142 2 08714729153177	H749 1659942 2 08714729200352

IMPULSE™ Brachial - Radial Selective

	CURVE STYLE	LENGTH	QUANTITY	5F = 1.66 MM LEFT .047" = 1.2 MM ID RIGHT .045" = 1.14 MM ID	6F = 2.00 MM (.056" = 1.42 MM ID)
	TIG4	100 cm	5	H749 16391250 2 08714729886242	H749 16599250 2 08714729886327
	TIG4.5	100 cm	5	H749 16391251 2* 08714729886266*	H749 16599251 2* 08714729886341*
	JIG3.5	100 cm	5	H749 16391252 2 08714729886280	-
	JIG4	100 cm	5	H749 16391253 2* 08714729886303*	-
	CAS 1	100 cm	5	H749 16391171 2* 08714729188858*	H749 16599171 2* 08714729215325*
	CAS 2	100 cm	5	H749 16391173 2* 08714729152965*	H749 16599173 2* 08714729215349*
	Radial	100 cm	5	H749 16391174 2* 08714729213673*	H749 16599174 2* 08714729215363*
	Kimny™	100 cm	5	H749 16391180 2* 08714729343073*	H749 16599180 2* 08714729304456*

* Code available while supplies last.



IMPULSE™ Multipack








Multipack	CURVE STYLE	LENGTH	QUANTITY	5F = 1.66 MM		6F = 2.00 MM	
				5F = 1.66 MM	6F = 2.00 MM	5F = 1.66 MM	6F = 2.00 MM
	FL 4, FR 4, PIG	100, 100, 110 cm	5	"H749 16391300 2 08714729188933"	"H749 16599300 2 08714729200307"	"H749 16599301 2 08714729200314"	"H749 16599500 2* 08714729305088*"
	FL 4, FR 4, PIG 145	100, 100, 110 cm	5	"H749 16391301 2 08714729188940"	-	-	-
	FL 4, AR MOD, PIG 145	100, 100, 110 cm	5	-	-	-	-
	FL 4, FR 4 MOD, PIG	100, 100, 110 cm	5	"H749 16391501 2* 08714729214489*"	-	-	-

* Code available while supplies last.



2. Angiographic Catheters

EXPO™ Femoral Selective

	CURVE STYLE	LENGTH	QUANTITY	5F = 1.66 MM (.045" = 1.14 MM ID)	6F = 2.00 MM (.056" = 1.42 MM ID)	7F = 2.33 MM (.064" = 1.62 MM ID)
Femoral Left 	FL 3.5	100 cm	5	H749 0852621 2* 08714729187813*	H749 0864121 2 08714729192992	- -
	FL 4	100 cm	5	H749 0852622 2* 08714729187820*	H749 0864122 2 08714729168607	- -
	FL 4	125 cm	5	H749 08526220 2* 08714729007531*	H749 08641220 2* 08714729008453*	- -
	FL 4.5	100 cm	5	H749 0852623 2* 08714729187837*	H749 0864123 2* 08714729168614*	- -
	FL 5	100 cm	5	H749 0852624 2* 08714729187844*	H749 0864124 2* 08714729168621*	H749 0873824 2* 08714729193081*
	FL 5	125 cm	5	H749 08526235 2* 08714729007579*	H749 08641235 2* 08714729008491*	- -
	FL 6	100 cm	5	H749 0852625 2* 08714729187851*	H749 0864125 2* 08714729193005*	H749 0873825 2* 08714729193098*
Femoral Right 	FR 3.5	100 cm	5	H749 0852601 2* 08714729187684*	H749 0864101 2 08714729168560	- -
	FR 4	100 cm	5	H749 0852602 2* 08714729187691*	H749 0864102 2 08714729168577	- -
	FR 4	125 cm	5	-	H749 08641225 2* 08714729008460*	- -
	FR 5	100 cm	5	H749 0852603 2* 08714729187707*	H749 0864103 2 08714729168584	- -
	FR 5	125 cm	5	H749 08526230 2* 08714729007562*	-	- -
	FR 6	100 cm	5	H749 0852604 2* 08714729187714*	H749 0864104 2* 08714729192909*	- -
Amplatz™ Left and Right 	AL 1	100 cm	5	-	H749 0864196 2 08714729193029	- -
	AL 2	100 cm	5	H749 0852698 2* 08714729187943*	H749 0864198 2 08714729192893	- -
	AL 3	100 cm	5	H749 08526100 2* 08714729187721*	H749 08641100 2* 08714729192916*	- -
	AR 1	100 cm	5	H749 0852684 2* 08714729187929*	H749 0864184 2 08714729168638	- -
	AR 2	100 cm	5	H749 0852686 2* 08714729168874*	H749 0864186 2* 08714729193012*	- -
	AR MOD	100 cm	5	H749 0852689 2 08714729007692	H749 0864189 2* 08714729008613*	- -
Williams 	WR	100 cm	5	H749 0852650 2* 08714729249412*	H749 0864150 2 08714729250463	- -
	WRP	100 cm	5	H749 0852651 2* 08714729249504*	H749 0864151 2* 08714729250555*	- -
Multipurpose 	MPA 1	100 cm	5	H749 08526117 2 08714729187738	H749 08641117 2 08714729192923	H749 08738117 2 08714729169239
	MPA 2 with side holes	100 cm	5	H749 08526121 2* 08714729007418*	H749 08641121 2* 08714729192930*	H749 08738121 2* 08714729169246*
	MPA 2	125 cm	5	H749 08526122 2* 08714729187745*	H749 08641122 2* 08714729008354*	- -
	MPB 1	100 cm	5	H749 08526142 2* 08714729187752*	H749 08641142 2* 08714729192947*	- -
	MPB 2 with side holes	100 cm	5	H749 08526146 2* 08714729192800*	H749 08641146 2* 08714729192954*	- -
Coronary Bypass 	LCB	100 cm	5	H749 08526195 2* 08714729187790*	H749 08641195 2* 08714729192978*	- -
	RCB	100 cm	5	H749 08526190 2* 08714729168928*	H749 08641190 2* 08714729192961*	- -
Internal Mammary 	IM	100 cm	5	H749 08526201 2* 08714729187806*	H749 08641201 2 08714729192985	- -
	IM	125 cm	5	H749 08526240 2* 08714729007593*	H749 08641240 2* 08714729008514*	- -
	IM Tight Curve	100 cm	5	H749 08526202 2* 08714729249191*	- -	- -

* Code available while supplies last.

EXPO™ Ventricular Pigtail

	CURVE STYLE	LENGTH	QUANTITY	5F =1.66 MM (.041" ID)	6F = 2.00 MM (.041" ID)
	PIG with side holes	110 cm	5	H749 0852640 2 08714729187899	H749 0864140 2 08714729169468
	PIG with side holes	125 cm	5	H749 08526215 2* 08714729007517*	H749 08641215 2 08714729195412
	PIG 145° with side holes	110 cm	5	H749 0852641 2 08714729187905	H749 0864141 2 08714729169475
	PIG 155° with side holes	110 cm	5	H749 0852642 2 08714729187912	H749 0864142 2 08714729169482

* Code available while supplies last.

EXPO™ Brachial - Radial Selective

	CURVE STYLE	LENGTH	QUANTITY	5F =1.66 MM (.045" = 1.14 MM ID)	6F = 2.00 MM (.056"=1.42 MM ID)
	TIG4	100 cm	5	H749 08526250 2* 08714729886082*	H749 08641250 2 08714729886167
	TIG4.5	100 cm	5	H749 08526251 2* 08714729886105*	H749 08641251 2* 08714729886181*
	JIG3.5	100 cm	5	H749 08526252 2* 08714729886129*	-
	JIG4	100 cm	5	H749 08526253 2* 08714729886143*	-
	CAS 1	100 cm	5	H749 08526171 2* 08714729187776*	H749 08641171 2* 08714729169000*
	CAS 2	100 cm	5	H749 08526173 2* 08714729187783*	H749 08641173 2* 08714729169017*
	Kimny™	102 / 103 cm	5	H749 08526180 2* 08714729249030*	H749 08641180 2* 08714729250036*
	IMC	100 cm	5	H749 08526203 2* 08714729249214*	H749 08641203 2* 08714729250210*

* Code available while supplies last.



EXPO™ Multipack

Multipack



CURVE STYLE	LENGTH	QUANTITY	5F = 1.66 MM	6F = 2.00 MM
FL 4, FR 4, PIG	100, 100, 110 cm	5	"H749 08526300 2* 08714729187868**"	"H749 08641300 2 08714729169383"
FL 4, FR 4, PIG 145	100, 100, 110 cm	5	"H749 08526301 2* 08714729187875**"	"H749 08641301 2 08714729169390"
FL 4, FR 4, PIG 155	100, 100, 110 cm	5	"H749 08526302 2* 08714729187882**"	"H749 08641302 2* 08714729169406**"

* Code available while supplies last.





2

COMPLEX PCI

Balloon Catheters

Microdilatation Catheters

Guide Catheters

Guide Catheter Extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



Balloon Catheters

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



CHOICE™ Floppy

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOCAPACITY	COMPATIBLE	QUANTITY
H749 1213201 1 08714729303022	182 cm	Straight	0.8	Spring Coil	Light	Hybrid*	3 cm	ADDWIRE™	1
H749 1213201 2 08714729150541	182 cm	Straight	0.8	Spring Coil	Light	Hybrid*	3 cm	ADDWIRE™	5
H749 1213201 J1 08714729252351	182 cm	J	0.8	Spring Coil	Light	Hybrid*	3 cm	ADDWIRE™	1
H749 1213201 J2 08714729155751	182 cm	J	0.8	Spring Coil	Light	Hybrid*	3 cm	ADDWIRE™	5
H749 1211601 2 08714729150589	300 cm	Straight	0.8	Spring Coil	Light	Hybrid*	3 cm	ADDWIRE™	5
H749 1211601 J2 08714729193654	300 cm	J	0.8	Spring Coil	Light	Hybrid*	3 cm	ADDWIRE™	5



LUGE™ Moderate Support Guidewire

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOCAPACITY	COMPATIBLE	QUANTITY
H749 1213001 0 08714729169956	182 cm	Straight	0.9	Floppy; Spring Coil w/a Polymer Sleeve	Moderate	Hybrid*	3 cm	ADDWIRE™	1
H749 1213001 2 08714729252320	182 cm	Straight	0.9	Floppy; Spring Coil w/a Polymer Sleeve	Moderate	Hybrid*	3 cm	ADDWIRE™	5
H749 1213001 J0 08714729169963	182 cm	J	0.9	Floppy; Spring Coil w/a Polymer Sleeve	Moderate	Hybrid*	3 cm	ADDWIRE™	1
H749 1213001 J2 08714729252337	182 cm	J	0.9	Floppy; Spring Coil w/a Polymer Sleeve	Moderate	Hybrid*	3 cm	ADDWIRE™	5
H749 1210001 2 08714729252207	300 cm	Straight	0.9	Floppy; Spring Coil w/a Polymer Sleeve	Moderate	Hybrid*	3 cm	ADDWIRE™	5
H749 1210001 J0 08714729169949	300 cm	J	0.9	Floppy; Spring Coil w/a Polymer Sleeve	Moderate	Hybrid*	3 cm	ADDWIRE™	1
H749 1210001 J2 08714729252214	300 cm	J	0.9	Floppy; Spring Coil w/a Polymer Sleeve	Moderate	Hybrid*	3 cm	ADDWIRE™	5



PT2™ LS

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOPACITY	COMPATIBLE	QUANTITY
H749 3893101 0 08714729471103	185 cm	Straight	2.5	Polymer Tip	Light	Hydrophilic	2 cm	ADDWIRE™	1
H749 3893101 2 08714729471110	185 cm	Straight	2.5	Polymer Tip	Light	Hydrophilic	2 cm	ADDWIRE™	5
H749 3893101 J0 08714729471127	185 cm	J	2.5	Polymer Tip	Light	Hydrophilic	2 cm	ADDWIRE™	1
H749 3893101 J2 08714729471134	185 cm	J	2.5	Polymer Tip	Light	Hydrophilic	2 cm	ADDWIRE™	5
H749 3893102 J2 08714729471172	300 cm	J	2.5	Polymer Tip	Light	Hydrophilic	2 cm	ADDWIRE™	5
H749 3893102 2 08714729471158	300 cm	Straight	2.5	Polymer Tip	Light	Hydrophilic	2 cm	ADDWIRE™	5



CHOICE™ PT Floppy

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOPACITY	COMPATIBLE	QUANTITY
H749 1216001 1 08714729252504	182 cm	Straight	2.1	Polymer Tip	Light	Hydrophilic	35 cm	ADDWIRE™	1
H749 1216001 2 08714729150626	182 cm	Straight	2.1	Polymer Tip	Light	Hydrophilic	35 cm	ADDWIRE™	5
H749 1216001 J1 08714729252511	182 cm	J	2.1	Polymer Tip	Light	Hydrophilic	35 cm	ADDWIRE™	1
H749 1216001 J2 08714729193715	182 cm	J	2.1	Polymer Tip	Light	Hydrophilic	35 cm	ADDWIRE™	5
H749 1215401 2 08714729150633	300 cm	Straight	2.1	Polymer Tip	Light	Hydrophilic	35 cm	ADDWIRE™	1
H749 1215401 J2 08714729193708	300 cm	J	2.1	Polymer Tip	Light	Hydrophilic	35 cm	ADDWIRE™	5



PT2™ MS

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOPACITY	COMPATIBLE	QUANTITY
H749 1490201 1 08714729254928	182 cm	Straight	2.9	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	1
H749 1490201 J1 08714729254935	182 cm	J	2.9	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	1
H749 3893103 0 08714729471189	185 cm	Straight	2.9	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	1
H749 3893103 2 08714729471196	185 cm	Straight	2.9	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	5
H749 3893103 J0 08714729471202	185 cm	J	2.9	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	1
H749 3893103 J2 08714729471219	185 cm	J	2.9	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	5
H749 3893104 0 08714729471226	300 cm	Straight	2.9	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	1
H749 3893104 2 08714729471233	300 cm	Straight	2.9	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	5
H749 3893104 J0 08714729471240	300 cm	J	2.9	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	1
H749 3893104 J2 08714729471257	300 cm	J	2.9	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	5



CHOICE™ Intermediate

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOPACITY	COMPATIBLE	QUANTITY
H749 1213301 1 08714729252368	182 cm	Straight	1.1	Spring Coil Tip	Light	Hybrid*	3 cm	ADDWIRE™	1
H749 1213301 2 08714729150558	182 cm	Straight	1.1	Spring Coil Tip	Light	Hybrid*	3 cm	ADDWIRE™	5
H749 1213301 J1 08714729252375	182 cm	J	1.1	Spring Coil Tip	Light	Hybrid*	3 cm	ADDWIRE™	1
H749 1213301 J2 08714729155744	182 cm	J	1.1	Spring Coil Tip	Light	Hybrid*	3 cm	ADDWIRE™	5
H749 1211701 2 08714729150596	300 cm	Straight	1.1	Spring Coil Tip	Light	Hybrid*	3 cm	ADDWIRE™	5
H749 1211701 J2 08714729193661	300 cm	J	1.1	Spring Coil Tip	Light	Hybrid*	3 cm	ADDWIRE™	5



CHOICE™ Standard

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOPACITY	COMPATIBLE	QUANTITY
H749 1213401 J1 08714729252399	182 cm	J	2.8	Spring Coil Tip	Light	Hybrid*	3 cm	ADDWIRE™	1
H749 1213401 J2 08714729155737	182 cm	J	2.8	Spring Coil Tip	Light	Hybrid*	3 cm	ADDWIRE™	5
H749 1213401 2 08714729150565	182 cm	Straight	2.8	Spring Coil Tip	Light	Hybrid*	3 cm	ADDWIRE™	5
H749 1213401 1 08714729252382	182 cm	Straight	2.8	Spring Coil Tip	Light	Hybrid*	3 cm	ADDWIRE™	1
H749 1211801 2 08714729150602	300 cm	Straight	2.8	Spring Coil Tip	Light	Hybrid*	3 cm	ADDWIRE™	5



PT GRAPHIX™ Intermediate

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOPACITY	COMPATIBLE	QUANTITY
H749 1490201 2 08714729141723	182 cm	Straight	1.7	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	5
H749 1490201 J2 08714729141730	182 cm	J	1.7	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	5
H749 1491401 1 08714729255017	300 cm	Straight	1.7	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	1
H749 1491401 2 08714729141969	300 cm	Straight	1.7	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	5
H749 1491401 J2 08714729141976	300 cm	J	1.7	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	5



PT GRAPHIX™ Standard

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOPACITY	COMPATIBLE	QUANTITY
H749 1490301 2 08714729188469	182 cm	Straight	5.3	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	5
H749 1490301 J2 08714729141754	182 cm	J	5.3	Polymer Tip	Moderate	Hydrophilic	2 cm	ADDWIRE™	5



CHOICE™ Extra Support

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOCAPACITY	COMPATIBLE	QUANTITY
H749 1213501 1 08714729252405	182 cm	Straight	0.9	Spring Coil Tip	Extra	Hybrid*	3 cm	ADDWIRE™	1
H749 1213501 J1 08714729252412	182 cm	Straight	0.9	Spring Coil Tip	Extra	Hybrid*	3 cm	ADDWIRE™	1
H749 1213501 2 08714729150572	182 cm	Straight	0.9	Spring Coil Tip	Extra	Hybrid*	3 cm	ADDWIRE™	5
H749 1213501 J2 08714729193692	182 cm	J	0.9	Spring Coil Tip	Extra	Hybrid*	3 cm	ADDWIRE™	5
H749 1211901 2 08714729150619	300 cm	Straight	0.9	Spring Coil Tip	Extra	Hybrid*	3 cm	ADDWIRE™	5
H749 1211901 J2 08714729193685	300 cm	J	0.9	Spring Coil Tip	Extra	Hybrid*	3 cm	ADDWIRE™	5



CHOICE™ PT Extra Support

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOCAPACITY	COMPATIBLE	QUANTITY
H749 1216101 1 08714729252528	182 cm	Straight	2.0	Polymer Tip	Extra	Hydrophilic	35 cm	ADDWIRE™	1
H749 1216101 J1 08714729252535	182 cm	J	2.0	Polymer Tip	Extra	Hydrophilic	35 cm	ADDWIRE™	1
H749 1216101 2 08714729176992	182 cm	Straight	2.0	Polymer Tip	Extra	Hydrophilic	35 cm	ADDWIRE™	5
H749 1216101 J2 08714729177005	182 cm	J	2.0	Polymer Tip	Extra	Hydrophilic	35 cm	ADDWIRE™	5
H749 1215501 2 08714729177012	300 cm	Straight	2.0	Polymer Tip	Extra	Hydrophilic	35 cm	ADDWIRE™	5
H749 1215501 J2 08714729176947	300 cm	J	2.0	Polymer Tip	Extra	Hydrophilic	35 cm	ADDWIRE™	5



2. Extra Support Guidewires

MAILMAN™

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOPACITY	COMPATIBLE	QUANTITY
H749 1213601 2 08714729165712	182 cm	Straight	0.8	Spring Coil Tip	Super	Hybrid*	3 cm	ADDWIRE™	5
H749 1213601 J2 08714729165729	182 cm	J	0.8	Spring Coil Tip	Super	Hybrid*	3 cm	ADDWIRE™	5
H749 1212001 2 08714729188162	300 cm	Straight	0.8	Spring Coil Tip	Super	Hybrid*	3 cm	ADDWIRE™	5
H749 1212001 J2 08714729165705	300 cm	J	0.8	Spring Coil Tip	Super	Hybrid*	3 cm	ADDWIRE™	5



PT GRAPHIX™ Super Support

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD	TIP STYLE	RAIL SUPPORT	COATING	TIP RADIOPACITY	COMPATIBLE	QUANTITY
H749 1490501 2 08714729141785	182 cm	Straight	3.6	Polymer Tip	Super	Hydrophilic	2 cm	ADDWIRE™	5
H749 1490501 J2 08714729188476	182 cm	J	3.6	Polymer Tip	Super	Hydrophilic	2 cm	ADDWIRE™	5



MARVEL™ Wire

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD (GF)	TIP DIAMETER (INCH / MM)	TIP RADIOPACITY	CORE MATERIAL	COATING	COMPATIBLE	QUANTITY
H749 39301190 2 08714729881179	190 cm	Straight	0.9	0.014 / 0.37	3 cm	Stainless Steel	Hydrophilic	STRETCH	5
H749 39301300 2 08714729881193	300 cm	Straight	0.9	0.014 / 0.37	3 cm	Stainless Steel	Hydrophilic	-	5
H749 39301190 J2 08714729881186	190 cm	J	0.9	0.014 / 0.37	3 cm	Stainless Steel	Hydrophilic	STRETCH	5
H749 39301300 J2 08714729881247	300 cm	J	0.9	0.014 / 0.37	3 cm	Stainless Steel	Hydrophilic	-	5



SAMURAI™ Wire

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD (GF)	TIP DIAMETER (INCH / MM)	TIP RADIOPACITY	CORE MATERIAL	COATING	COMPATIBLE	QUANTITY
H749 39302190 2 08714729881216	190 cm	Straight	0.5	0.014 / 0.37	4 cm	Stainless Steel	Moderated hydrophilic**	STRETCH	5
H749 39302300 2 08714729881230	300 cm	Straight	0.5	0.014 / 0.37	4 cm	Stainless Steel	Moderated hydrophilic**	-	5
H749 39302190 J2 08714729881223	190 cm	J	0.5	0.014 / 0.37	4 cm	Stainless Steel	Moderated hydrophilic**	STRETCH	5
H749 39302300 J2 08714729881209	300 cm	J	0.5	0.014 / 0.37	4 cm	Stainless Steel	Moderated hydrophilic**	-	5

** Reduced hydrophilic coating on distal 1 cm



SAMURAI™ RC Wire

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD (GF)	TIP DIAMETER (INCH / MM)	TIP RADIOPACITY	CORE MATERIAL	COATING	COMPATIBLE	QUANTITY
H749 39306190 2 08714729886679	190 cm	Straight	1.2	0.014 / 0.37	4 cm	Stainless Steel	Hydrophilic	STRETCH	5
H749 39306300 2 08714729886686	300 cm	Straight	1.2	0.014 / 0.37	4 cm	Stainless Steel	Hydrophilic	-	5



FIGHTER™ Wire

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD (GF)	TIP DIAMETER (INCH / MM)	TIP RADIOPACITY	CORE MATERIAL	COATING	COMPATIBLE	QUANTITY
H749 39303190 2 08714729886617	190 cm	Straight	1.5	0.009 / 0.23	3.5 cm	Stainless Steel	Clear polymer jacket / hydrophilic	STRETCH	5
H749 39303300 2 08714729886624	300 cm	Straight	1.5	0.009 / 0.23	3.5 cm	Stainless Steel	Clear polymer jacket / hydrophilic	-	5



JUDO™ 3 Wire

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD (GF)	TIP DIAMETER (INCH / MM)	TIP RADIOPACITY	CORE MATERIAL	COATING	COMPATIBLE	QUANTITY
H749 39377190 2 08714729974956	190 cm	Straight	3.0	0.008 / 0.20	3.5 cm	Stainless Steel	Hydrophilic	STRETCH	5
H749 39377300 2 08714729974970	300 cm	Straight	3.0	0.008 / 0.20	3.5 cm	Stainless Steel	Hydrophilic	-	5

JUDO™ 6 Wire

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD (GF)	TIP DIAMETER (INCH / MM)	TIP RADIOPACITY	CORE MATERIAL	COATING	COMPATIBLE	QUANTITY
H749 39378190 2 08714729974994	190 cm	Straight	6.0	0.008 / 0.20	3.5 cm	Stainless Steel	Hydrophilic	STRETCH	5
H749 39378300 2 08714729975014	300 cm	Straight	6.0	0.008 / 0.20	3.5 cm	Stainless Steel	Hydrophilic	-	5



HORNET™ 14 Wire

Diameter: .014" (0.37 mm)


CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	TIP CONFIGURATION	TIP LOAD (GF)	TIP DIAMETER (INCH / MM)	TIP RADIOPACITY	CORE MATERIAL	COATING	COMPATIBLE	QUANTITY
H749 39307190 2 08714729886693	190 cm	Straight	14	0.008 / 0.20	3.5 cm	Stainless Steel	Hydrophilic	STRETCH	5
H749 39307300 2 08714729886709	300 cm	Straight	14	0.008 / 0.20	3.5 cm	Stainless Steel	Hydrophilic	-	5



ADDWIRE™ Extension Wire

ADDWIRE™ Extension Wire is compatible with 182-185 cm CHOICE™ Floppy, LUGE™ Moderate Support, CHOICE™ Intermediate, CHOICE™ PT Floppy, PT2™ Light Support, CHOICE™ Standard, PT Graphix™ Intermediate, PT2™ Moderate Support, CHOICE™ Extra Support, CHOICE™ PT Extra Support, PT Graphix™ Super Support, PT Graphix™ Standard and MAILMAN™ guidewires. Refer to the guidewire product label for Guidewire Extension system compatibility.

CATALOG NUMBER / ORDER NUMBER (GTIN)	DIAMETER	LENGTH	QUANTITY
H749 2215001 2 / 08714729315940	.014" (0.37 mm)	145 cm	5



The ADDWIRE™ is intended to be attached to a Boston Scientific Extendable Guidewire.

STRETCH Extension Wire*

Extension wire for 190 cm length MARVEL, SAMURAI, SAMURAI RC, FIGHTER, JUDO 1, JUDO 3, JUDO 6, HORNET, HORNET 10 and HORNET 14 wires.

Diameter: .014" (0.37 mm)

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	QUANTITY
H7493930802 / 08714729886716	150 cm	5





2

COMPLEX PCI

Balloon Catheters

Microdilatation Catheters

Guide Catheters

Guide Catheter Extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



Balloon Catheters

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



FILTERWIRE EZ™ Embolic Protection System

Material: Stainless steel guidewire, Platinum coated Nitinol loop, microporous 110 micron filter, Floppy wire tip 3 cm, 6F guide catheter compatible.

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION	VESSEL SIZE COVERAGE	LENGTH	CROSSING PROFILE	RETRIEVAL PROFILE
H749 20100399 0 08714729470878	FILTERWIRE EZ™	3.50 - 5.50 mm	190 cm	3.2F / 1.07 mm	4.3F / 1.43 mm
H749 50100150 0 08714729479109	Bent Tip Retrieval Sheath EZ	N / A	150 cm	4.3F / 1.43 mm	4.3F / 1.43 mm
H749 20100400 0 08714729470885	FILTERWIRE EZ™ 300 cm	3.50 - 5.50 mm	300 cm	3.2F / 1.07 mm	4.3F / 1.43 mm

The 190 cm protection wire is compatible with the Boston Scientific ADDWIRE™ Extension Wire.





2

COMPLEX PCI

Balloon Catheters

Microdilatation Catheters

Guide Catheters

Guide Catheter Extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



Balloon Catheters

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



ENCORE™ 26 Inflation Device, 26 ATM (2634 kPa) gauge

CATALOG NUMBER / ORDER NUMBER (GTIN)	MODEL	VOLUME CAPACITY	QUANTITY
H749 0452601 1 / 08714729177029	ENCORE™ 26 Inflation Device	20 ml	1
H749 0452605 2 / 08714729127062	ENCORE™ 26 Inflation Device	20 ml	5-pack



ENCORE™ 26 Advantage Kit, 26 ATM (2634 kPa) gauge

The ENCORE™ 26 Advantage Kit combines the GATEWAY™ Plus™ Y-Adaptor, the TD2™ torque device, an insertion tool, and the ENCORE™ 26 high pressure inflation device into one convenient kit.

CATALOG NUMBER / ORDER NUMBER (GTIN)	MODEL	VOLUME CAPACITY	QUANTITY
H749 0452701 1 / 08714729180005	ENCORE™ 26 Advantage Kit	20 ml	1
H749 0452705 2 / 08714729127048	ENCORE™ 26 Advantage Kit	20 ml	5-pack



GATEWAY™ Plus Y-Adaptor

CATALOG NUMBER / ORDER NUMBER (GTIN)	MODEL	QUANTITY
H749 0448310 2 / 08714729246763	GATEWAY™ Plus Y-Adaptor	10-pack



WATCHDOG

Hemostasis Valve

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION	GENERAL SPECIFICATIONS	QUANTITY
H749 3934302 1 / 08714729965763	WATCHDOG Hemostasis Valve	3.4" (8.64 cm) / 0.105" (2.67 mm) / Cross-Slit	Carton: 1, Pack: 20
H749 39343A02 2 / 08714729996019	WATCHDOG Hemostasis Valve Kit*	3.4" (8.64 cm) / 0.105" (2.67 mm) / Cross-Slit	Carton: 1, Pack: 5**
H749 39343A02 1 / 08714729965770	WATCHDOG Hemostasis Valve Kit*	3.4" (8.64 cm) / 0.105" (2.67 mm) / Cross-Slit	Carton: 1, Pack: 20

*Kit configuration includes hemostasis valve, insertion tool and torque device **available to order starting from June, 2020





2

COMPLEX PCI

Balloon Catheters

Microdilatation Catheters

Guide Catheters

Guide Catheter Extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



Balloon Catheters

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



WOLVERINE™ Cutting Balloon™ Dilatation Device

6 mm Blade Length

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	NUMBER OF ATHEROTOMES	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 3940306200 0 / 08714729888406	6 mm / 2.00 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940306225 0 / 08714729888413	6 mm / 2.25 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940306250 0 / 08714729888420	6 mm / 2.50 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940306275 0 / 08714729888437	6 mm / 2.75 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940306300 0 / 08714729888444	6 mm / 3.00 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940306325 0 / 08714729888451	6 mm / 3.25 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940306350 0 / 08714729888468	6 mm / 3.50 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940306375 0 / 08714729888475	6 mm / 3.75 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940306400 0 / 08714729888482	6 mm / 4.00 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)

10 mm Blade Length

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	NUMBER OF ATHEROTOMES	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 3940310200 0 / 08714729888499	10 mm / 2.00 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940310225 0 / 08714729888505	10 mm / 2.25 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940310250 0 / 08714729888512	10 mm / 2.50 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940310275 0 / 08714729888529	10 mm / 2.75 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940310300 0 / 08714729888536	10 mm / 3.00 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940310325 0 / 08714729888543	10 mm / 3.25 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940310350 0 / 08714729888550	10 mm / 3.50 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940310375 0 / 08714729888567	10 mm / 3.75 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940310400 0 / 08714729888574	10 mm / 4.00 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)

15 mm Blade Length

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH / DIAMETER	NUMBER OF ATHEROTOMES	NOMINAL PRESSURE	RATED BURST PRESSURE
H749 3940315200 0 / 08714729888581	15 mm / 2.00 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940315225 0 / 08714729888598	15 mm / 2.25 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940315250 0 / 08714729888604	15 mm / 2.50 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940315275 0 / 08714729888611	15 mm / 2.75 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940315300 0 / 08714729888628	15 mm / 3.00 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940315325 0 / 08714729888635	15 mm / 3.25 mm	3	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940315350 0 / 08714729888642	15 mm / 3.50 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940315375 0 / 08714729888659	15 mm / 3.75 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)
H749 3940315400 0 / 08714729888666	15 mm / 4.00 mm	4	6 ATM (608kPa)	12 ATM (1216kPa)





2

COMPLEX PCI

Balloon Catheters

Microdilatation Catheters

Guide Catheters

Guide Catheter Extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



Balloon Catheters

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



ROTAPRO™ Rotational Atherectomy System

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION
H749 3930903 0 / 08714729975151	ROTAPRO™ Console Kit

ROTAPRO™ Pre-Connected Burr and Advancing Device

CATALOG NUMBER / ORDER NUMBER (GTIN)	DIAMETER
H749 39467125 0 / 08714729999560	1.25 mm
H749 39467150 0 / 08714729999577	1.50 mm
H749 39467175 0 / 08714729999584	1.75 mm
H749 39467200 0 / 08714729999591	2.0 mm
H749 39467215 0 / 08714729999607	2.15 mm
H749 39467225 0 / 08714729999614	2.25 mm
H749 39467238 0 / 08714729999621	2.38 mm
H749 39467250 0 / 08714729999638	2.5 mm

ROTAWIRE™ Drive

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION	LENGTH	TIP LENGTH	MAX. DIAMETER	QUANTITY
H749 3946200 5 / 08714729996262	NG ROTAWIRE™ Floppy 5 Pack	330 cm	2.2 cm	.014" (0.36 mm)	5-pack
H749 3946300 5 / 08714729996248	NG ROTAWIRE™ Extra Support 5 Pack	330 cm	2.8 cm	.014" (0.36 mm)	5-pack

ROTAWIRE™

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION	LENGTH	TIP LENGTH	MAX. DIAMETER	QUANTITY
H802 22824002 2 / 08714729195566	ROTAWIRE™ Floppy w / WIRECLIP™ Torquer	330 cm	2.2 cm	.014" (0.36 mm)	5-pack
H802 23239001 2 / 08714729195573	ROTAWIRE™ Extra Support w / WIRECLIP™ Torquer	330 cm	2.8 cm	.014" (0.36 mm)	5-pack



ROTAPRO™ Services

CATALOG NUMBER	DESCRIPTION
SRVH749ROTATC24	ROTAPRO TotalCare Year 1
SRVH749ROTATC25	ROTAPRO TotalCare Year 2
SRVH749ROTATC26	ROTAPRO TotalCare Year 3
SRVH749ROTATC27	ROTAPRO TotalCare Year 4
SRVH749ROTA2005	ROTAPRO EssentialCare Year 1
SRVH749ROTA2006	ROTAPRO EssentialCare Year 2
SRVH749ROTA2007	ROTAPRO EssentialCare Year 3
SRVH749ROTA2008	ROTAPRO EssentialCare Year 4
SRVH749ROTATC29	ROTAPRO Electrical Safety Test (STK)



ROTALINK™ Exchangeable Burr Catheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	LENGTH	BURR SIZE
H802 22768002 0 / 08714729185864	135 cm	1.25 mm
H802 22768003 0 / 08714729185857	135 cm	1.50 mm
H802 22768004 0 / 08714729185840	135 cm	1.75 mm
H802 22768005 0 / 08714729126881	135 cm	2.00 mm
H802 22768015 0 / 08714729185826	135 cm	2.15 mm
H802 22768006 0 / 08714729185819	135 cm	2.25 mm
H802 22768016 0 / 08714729185802	135 cm	2.38 mm
H802 22768007 0 / 08714729185796	135 cm	2.50 mm



ROTAGO CART™

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION
H749 3936901 0 / 08714729974307	ROTAGO CART™

Accessories

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION
H802 22196003 2 / 08714729195535	WIRECLIP™ Torquer (5-pack)





2

COMPLEX PCI

Balloon Catheters

Microdilatation Catheters

Guide Catheters

Guide Catheter Extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



Balloon Catheters

Micro-dilatation Catheters

Guide Catheters

Guide Catheter extension

Angiographic Catheters

Guidewires

Embolic Protection

Accessories

Cutting Balloon™

Atherectomy Devices

Chronic Total Occlusions



CROSSBOSS™ & STINGRAY™ LP

Coronary Crossing and Re-Entry Devices

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION	
H749 M2000B 0 / 08714729837466	CROSSBOSS™ Coronary Crossing Catheter	
H749 393130SR 0 / 08714729903369	STINGRAY™ LP	Training Required
H749 M3012B 0 / 08714729837497	STINGRAY™ Guidewire, 185 cm	Training Required
H749 M3010B 0 / 08714729837480	STINGRAY™ Guidewire Extension	Training Required

Please contact local Boston Scientific representative for training support.





3

PCI GUIDANCE

System and Accessories

Single Unit Devices

System and
Accessories

Single Unit
Devices





3

PCI GUIDANCE

System and Accessories

Single Unit Devices

System and Accessories



Single Unit Devices



* POLARIS™ 1.0 software running on iLab™ System 3.0

For our equipments and accessories, availability depends on geographies; please liaise with your regional Boston Scientific representative for more information.

AVVIGO™ + Guidance System Mobile

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION
BUN30AVPLUSMOB / 00191506048075	AVVIGO + Mob System, EU



System and Accessories

AVVIGO™ + Multi-Modality Guidance System: Integrated

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION
BUN30AVPLUSINT / 00191506048082	AVVIGO + Integrated System, EU (without Table Side Control)
BUN30AVPLUSINTTSC / 00191506048099	AVVIGO + Integrated System, EU (with Table Side Control)



AVVIGO™ + Bundles and Accessories

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION
BUN30AVPLUSMOB / 00191506048075	Bundle AVVIGO+ Mobile, MDU FPB and Perm Sled
BUN30AVPLUSINT / 00191506048082	Bundle AVVIGO+ Integrated, MDU FPB and Perm Sled
BUN30AVPLUSINTTSC / 00191506048099	Bundle AVVIGO+ Integrated, MDU FPB, Perm Sled and Table Side control
H7492493320C0 / 00191506033309	AVVIGO + Mob System, EU + ROW
H7492493320I0 / 00191506033354	AVVIGO + Int system, EU + ROW
H7492493321C0 / 00191506033385	AVVIGO II to AVVIGO+ mob upgrade, EU+ROW
H7492493321I0 / 00191506033392	AVVIGO II to AVVIGO+ int upgrade, EU+ROW
H74924930TSC010 / 00191506040499	AVVIGO + Table Side Control*
H749MDU5PLUSF0 / 08714729982845	MOTOR DRIVE MDU5 PLUS Unit Fast PullBack
H749393160100 / 08714729896838	Permanent Sled
H749393150100 / 08714729896845	Permanent Sled Bag
H7495551000 / 08714729890010	FFRLink™
H749A70200 / 08714729228684	Sterile Pullback Sled (not compatible with AVVIGO+)
H749MDU5PLUS / 08714729842279	Motordrive MDU5+

Single Unit Devices



AVVIGO™ + Services Coverage

GENERAL		TOTALCARE	ESSENTIALCARE	PM CARE	STK
Unlimited Technical support calls		•	•	•	
24/7/365 access to technical support		•	•	•	
Preventative maintenance		•		•	
Electrical and functional test (STK)		•		•	•

PRODUCT SPECIFIC		TOTALCARE	ESSENTIALCARE	PM CARE	STK
100% coverage on repairs (parts/travel/labor charges)		•	•		
5 WD FSE on site (MAX)			•	•	
48 h FSE on site (MAX)		•			
Software Updates		•	•		

ORDERING UPN	TOTALCARE	ESSENTIALCARE	PM CARE	EVERCARE	STK
1 year	SRVH749AVVIGOTC30	SRVH749AVVIGOEC30	SRVH74AVVIGOPMC34		SRVH749AVVIGOZSTK1
2 year	SRVH749AVVIGOTC31	SRVH749AVVIGOEC31	SRVH74AVVIGOPMC35		
3 year	SRVH749AVVIGOTC32	SRVH749AVVIGOEC32	SRVH74AVVIGOPMC36	SRVH749AVVIGOPEVC1	
4 year	SRVH749AVVIGOTC33	SRVH749AVVIGOEC33	SRVH74AVVIGOPMC37		

FFR Link™

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION
H7495551000 / 087 14 729 890 010	Signal transmitter for COMET™ II for use with the AVVIGO™ Guidance System II, AVVIGO™ Guidance System (for physiology only), or with the Polaris™ Multi-Modality Guidance System, or for FFR DIRECT use with compatible hemodynamic system



On-demand Services

CATALOG NUMBER	DESCRIPTION
SRVH749AVVIGOEST1	AVVIGO Electrical Safety Test(EST)
SRVH749AVVIGOZSTK1	AVVIGO Electrical Safety Test(STK)
SRVH749AVVIGOFRPM	AVVIGO Flat Rate Preventive Maintenance
SRVH749AVVIGOFSE1	AVVIGO FSE Flat Fee

Polaris™ Service Coverage

CATALOG NUMBER	DESCRIPTION
SRVH749ECAR1002	iLab/Polaris EverCare 3 Year
SRVH749ILABTC01	Polaris TotalCare 1 Year (not applicable to iLab)
SRVH749ILABTC02	Polaris TotalCare 2 Year (not applicable to iLab)
SRVH749ILABTC13	Polaris TotalCare 3 Year (not applicable to iLab)
SRVH749ILABTC14	Polaris TotalCare 3 Year LAPSE (not applicable to iLab)
SRVH749ILAB1005	Polaris EssentialCare 1 Year POST (not applicable to iLab)
SRVH749ILAB1006	Polaris EssentialCare 2 Year POST (not applicable to iLab)
SRVH749ILAB1007	Polaris EssentialCare 3 Year POST (not applicable to iLab)
SRVH749ILAB1008	Polaris EssentialCare 4 Year POST (not applicable to iLab)
SRVH749PMCAR1006	Polaris PMCare 1 Year (not applicable to iLab)
SRVH749PMCAR1007	Polaris PMCare 2 Year (not applicable to iLab)
SRVH749PMCAR1008	Polaris PMCare 3 Year (not applicable to iLab)
SRVH749PMCAR1009	Polaris PMCare 4 Year (not applicable to iLab)
SRVH749ILB1009	Polaris Electrical Safety Test(STK)
SRVH749ILABPOPPP01	Polaris Parts Protection Plan

System and Accessories

Single Unit Devices






3

PCI GUIDANCE

System and Accessories

Single Unit Devices

System and
Accessories



Single Unit
Devices



OPTICROSS™ High-definition Coronary Imaging Catheter

including previous generation sterile bag H749MDU5PLUSBAGO

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION	TRANSDUCER FREQUENCY	DEPTH SETTING ALLOWABLE RANGE	SHEATH COMPATIBILITY (WITH MAX WIRE)	GUIDE CATHETER COMPATIBILITY
H749 3935202 0 / 08714729960751	OPTICROSS™ HD	60 MHz	5-19 mm	5F	5F (ID ≥ 0.058")
H749 3935406 0 / 08714729960799	OPTICROSS™ 6 HD	60 MHz	5-19 mm	6F	6F (ID ≥ 0.064")

OPTICROSS™ Coronary Imaging Catheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION	SHEATH COMPATIBILITY (WITH MAX WIRE)
H749518120 / 08714729841531	OPTICROSS™ - 40Mhz Coronary Imaging Catheter Single Use Disposable	5F
H7495181260 / 08714729904779	OPTICROSS™ 6 - 40MHz Coronary Imaging Catheter Single Use Disposable	6F

OPTICROSS™ Coronary Catheters "Bagless"

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION
H74939352060 / 00191506035426	OPTICROSS HD BAGLESS CE
H74939354100 / 00191506035464	OPTICROSS HD 6 BAGLESS CE
H749518140 / 00191506035402	OPTICROSS 5 BAGLESS CE
H7495181460 / 00191506035440	OPTICROSS 6 BAGLESS CE
BUN300C5FBIGBAG	OPTICROSS 5 BAGLESS CE + permanent sled sterile bag
BUN300C6FBIGBAG	OPTICROSS 6 BAGLESS CE + permanent sled sterile bag
BUN300CHD5FBIGBAG	OPTICROSS HD BAGLESS CE + permanent sled sterile bag
BUN300CHD6FBIGBAG	OPTICROSS HD 6 BAGLESS CE + permanent sled sterile bag

OPTICROSS™ Sterile Accessories

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION
H749393150100 / 08714729896845	Permanent Sled Bag
H749 A7020 0 / 08714729228684	Sterile Pullback Sled (not compatible with Permanent Sled)
H749 MDU5PLUSBAGO / 08714729842255	Extra MDU 5+ Sterile Bag

OPTICROSS™ Peripheral Imaging Catheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION	TRANSDUCER FREQUENCY	DEPTH SETTING ALLOWABLE RANGE	SHEATH COMPATIBILITY (WITH MAX WIRE)	GUIDE CATHETER COMPATIBILITY
H749 393270018 0 / 08714729841531	OPTICROSS™ 18	30 MHz	10.9-40.8 mm	6F	6F (ID ≥ 0.064")
H749 393280135 0 / 08714729904779	OPTICROSS™ 35	15 MHz	14.6-102 mm	8F	-

ULTRA ICE™ PLUS Ultrasound Imaging Catheter

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION	TRANSDUCER FREQUENCY	DEPTH SETTING ALLOWABLE RANGE	SHEATH COMPATIBILITY (WITH MAX WIRE)	GUIDE CATHETER COMPATIBILITY
M004 9910 0 / 08714729904373	ULTRA ICE™ PLUS	9 MHz	18.7-199 mm	9F	-


System and Accessories

Single Unit Devices



COMET™ II Physiological pressure guidewire - FFR, DFR™, Pd/Pa

CATALOG NUMBER / ORDER NUMBER (GTIN)	DESCRIPTION
H749 3935931 0 / 8714729960164	COMET™ II Pressure Guidewire



System and Accessories

Single Unit Devices





4 STRUCTURAL HEART

Transcatheter Aortic Valve Implantation (TAVI)

Left Atrial Appendage Closure (LAAC)

TAVI

LAAC





4 STRUCTURAL HEART

Transcatheter Aortic Valve Implantation (TAVI)

Left Atrial Appendage Closure (LAAC)

TAVI

LAAC



SENTINEL™ Cerebral Protection System

CATALOG NUMBER / ORDER NUMBER (GTIN)	PRODUCT DESCRIPTION	UNITS
CMS15-10C / 00863229000028	SENTINEL™ Cerebral Protection System	1

14F iSLEEVE™ Expandable Introducer Set

CATALOG NUMBER / ORDER NUMBER (GTIN)	PRODUCT DESCRIPTION
H7493934914 0 / 08714729950660	14F iSLEEVE Expandable Introducer

SAFARI2™ Pre-Shaped Guidewire*

Pre-Shaped TAVI Guidewire

CATALOG NUMBER / ORDER NUMBER (GTIN)	OUTER	DIAMETER LENGTH	CURVE CONFIGURATION	CORE MATERIAL	COATING	QUANTITY
H74939406XS1 / 08714729887614	.035" / 0.889 mm	275 cm	Extra Small	Stainless Steel	LUBRIGREEN™ PTFE	5-pack
H74939406S1 / 08714729887591	.035" / 0.889 mm	275 cm	Small	Stainless Steel	LUBRIGREEN™ PTFE	5-pack
H74939406L1 / 08714729887577	.035" / 0.889 mm	275 cm	Large	Stainless Steel	LUBRIGREEN™ PTFE	5-pack
H74939407XS0 / 08714729887638	.035" / 0.889 mm	275 cm	Extra Small	Stainless Steel	LUBRIGREEN™ PTFE	1-single
H74939407S0 / 08714729887652	.035" / 0.889 mm	275 cm	Small	Stainless Steel	LUBRIGREEN™ PTFE	1-single
H74939407L0 / 08714729887645	.035" / 0.889 mm	275 cm	Large	Stainless Steel	LUBRIGREEN™ PTFE	1-single

* The SAFARI2™ Guidewire is manufactured by Lake Region Medical and distributed by Boston Scientific Corporation.

TAVI

LAAC





4 STRUCTURAL HEART

Transcatheter Aortic Valve Implantation (TAVI)

Left Atrial Appendage Closure (LAAC)



TAVI

LAAC



WATCHMAN FLX™ LAA Closure Device and Delivery System

CATALOG NUMBER / ORDER NUMBER (GTIN)	SIZE	OD	LENGTH	QUANTITY
M635WS50200 / 08714729860433	20 mm	12F	75.5 cm	1
M635WS50240 / 08714729860440	24 mm	12F	75.5 cm	1
M635WS50270 / 08714729860457	27 mm	12F	75.5 cm	1
M635WS50310 / 08714729860464	31 mm	12F	75.5 cm	1
M635WS50350 / 08714729860471	35 mm	12F	75.5 cm	1

WATCHMAN™ FXD Curve Access System

CATALOG NUMBER / ORDER NUMBER (GTIN)	OD	LENGTH	QUANTITY
M635TS80010 / 00191506013806	15FR	75.5 cm	1
M635TS80020 / 00191506013813	15FR	75.5 cm	1

TAVI


LAAC





5 PULMONARY EMBOLISM

EKOS™ Endovascular System




Pulmonary Embolism



EKOS™ Endovascular System

CATALOG NUMBER	PRODUCT NAME
H7493959340010	EKOS CONTROL UNIT 4.0
H7493966540060	EKOS CONTROL UNIT 4.0 CIC
H74939590106060	EKOS Endovascular Device, 106x6cm
H74939590106120	EKOS Endovascular Device, 106x12cm
H74939590106180	EKOS Endovascular Device, 106x18cm
H74939590106240	EKOS Endovascular Device, 106x24cm
H74939590106300	EKOS Endovascular Device, 106x30cm
H74939590106400	EKOS Endovascular Device, 106x40cm
H74939590106500	EKOS Endovascular Device, 106x50cm
H74939590135120	EKOS Endovascular Device, 135x12cm
H74939590135300	EKOS Endovascular Device, 135x30cm
H74939590135400	EKOS Endovascular Device, 135x40cm
H74939590135500	EKOS Endovascular Device, 135x50cm



Pulmonary Embolism



**Boston
Scientific**
Advancing science for life™

www.bostonscientific.eu

© 2025 Boston Scientific
Corporation or its affiliates.
All rights reserved.

IC-2202704-AA

CAUTION: The law restricts these devices to sale by or on the order of a physician. Indications, contraindications, warnings, and instructions for use can be found in the product labelling supplied with each device. Products shown for INFORMATION purposes only and may not be approved or for sale in certain countries. This material not intended for use in France.

